

NATIONAL DIAGNOSTICS INC -- OPTICLEAR W,OE-106 -- 6850-01-393-9052

=====
Product Identification
=====

Product ID:OPTICLEAR W,OE-106

MSDS Date:05/19/1992

FSC:6850

NIIN:01-393-9052

MSDS Number: BTTWV

=== Responsible Party ===

Company Name:NATIONAL DIAGNOSTICS INC

Address:305 PATTON DRIVE

City:ATLANTA

State:GA

ZIP:30336

Country:US

Info Phone Num:404-699-2121

Emergency Phone Num:404-699-2121,800-424-9

300(CHEMTREC)

Preparer's Name:NONE

CAGE:0TMT2

=== Contractor Identification ===

Company Name:NATIONAL DIAGNOSTICS INC

Address:305 PATTON DRIVE

Box:City:ATLANTA

State:GA

ZIP:30336

Country:US

Phone:404-699-2121

CAGE:0TMT2

Company Name:NATIONAL DIAGNOSTICS INC

Address:1013-1017 KENNEDY BLVD

Box:City:MANVILLE

State:NJ

ZIP:08835

Country:US

CAGE:58215

=====
Composition/Information on Ingredients
=====

Ingred Name:2-PYRROLIDINONE

CAS:616-45-5

Fraction by Wt: >90%

Other REC Limits:NO

NE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 4200 MG/KG.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYES: MODERATE IRRITANT. NO
PERMANENT DAMAGE. SKIN: IRRITATION. INHALATION: NO EVIDENCE OF
TOXIC EFFECTS. INGESTION: NO EFFECTS OF EXPOSURE EXPECTED. CHRONIC:
SEVERE DERMATITIS WITH BLISTERS, CRACKING, RED
NESS UPON PROLONGED
OR REPEATED CONTACT.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION, DERMATITIS,
BLISTERS, CRACKING, REDNESS. INHALATION: NO EVIDENCE OF TOXIC
EFFECTS. INGESTION: NO EFFECTS OF EXPOSURE EXPECTED.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION
PERSISTS, GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED
CLOTHING. WASH AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH
AIR. IF NOT BREATHING, GIVE CPR. GET MEDICAL ATTENTION. INGESTION:
INDUCE VOMITING BY GIVING TWO GLASSES OF WATER AND STICKING FINGER
DOWN THROAT. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:200F,93C
Autoignition Temp:Autoignition Temp Text:518F
Lower Limits:1.3
Upper Limits:9.5
Extinguishing Media:FOAM,DRY CHEMICAL,CARBON DIOXIDE,WATER.AVOID
SPRAYING WATER DIRECTLY INTO STORAGE CONTAINERS DUE TO DANGER OF
BOIL OVER.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION

ON. PREVENT SPILL

FROM ENTERING SEWERS, WATER COURSES, OR LOW AREAS. CONTAIN SPILL WITH SAND OR EARTH. RECOVER BY PUMPING (USE EXPLOSION PROOF PUMP) OR WITH A SUITABLE ABSORBENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE THE USUAL PRECAUTIONS FOR FLAMMABLE LIQUIDS.

Other Precautions:ALL HANDLING EQUIPMENT SHOULD BE ELECTRICALLY GROUNDED.

=====
===== Exposur
e Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR CONCENTRATION BECOMES HIGH, USE SELF-CONTAINED AIR MASK.

Ventilation:LOCAL EXHAUST SHOULD BE ADEQUATE.

Protective Gloves:POLYETHYLENE, NEOPRENE, PVC, PVA.

Eye Protection:CHEMICAL SPLASH GOGGLES, FACE SHIELD.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

S
Supplemental Safety and Health
NONE

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:200F,93C

Vapor Pres:0.29

Vapor Density:3.4

Spec Gravity:1.03

Evaporation Rate & Reference:0.08 (N-BU ACETATE=1)

Solubility in Water:MISCIBLE

Appearance and Odor:CLEAR AND COLORLESS LIQUID. MILD ODOR.

Percent Volatiles by Volume:0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZ

ING AGENTS.

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME.

Hazardous Decomposition Products:CARBON MONOXIDE AND OXIDES OF NITROGEN
FUMES EMITTED WHEN HEATED TO DECOMPOSITION.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information

is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.