View NSN Online: https://aerobasegroup.kr/nsn/6505-01-326-1598

DUPONT MERCK PHARMACEUTICAL CO -- COUMADIN TABLET 1 MG -- 6505-01-326-1598

Product ID: COUMADIN TABLET 1 MG

MSDS Date:06/01/1994

FSC:6505

NIIN:01-326-1598

MSDS Number: BTVSR === Responsible Party ===

Company Name: DUPONT MERCK PHARMACEUTICAL CO

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026 Country:US

Info Phone Num:302-992-4240

Emergency Phone Num:800-441-9861

CAGE:GO350

=== Contractor Identification ===

Company Name: DU PONT MERCK PHARMACEUTICAL CO, THE

Address:BARLEY MILL PLAZA

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026 Country:US

Phone:800-441-9861

CAGE:04490

Company Name: DUPONT MERCK PHARMACEUTICAL CO

Box:80026

City:WILMINGTON

State:DE

ZIP:19880-0026 Country:US

Phone:302-992-4240

CAGE:GO350

====== Composition/Information on Ingredients ========

Ingred Name: WARFARIN SODIUM

CAS:129-06-6

RTECS #:GN4725000 Fraction by Wt: 96.6%

======================================
LD50 LC50 Mixture:ORAL LD50 (RAT): 8.7 MG/KG (SEE SUPP) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION/INGESTION/SKIN/EYES: LONG-TERM OVEREXPOSURE MAY CAUSE SUSCEPTIBILITY TO BRUISING/LONGER BLOOD-CLOTTING TIMES/APPEARANCE OF BLOOD IN STOOL/URINE/EXCESSIVE MENSTRUAL BLEEDING/RED/PURPLE SPOTS /BLOTCHES ON SKIN/ PERSISTENT
OOZING OF SUPERFICIAL INJURIES. Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION/INGESTION/SKIN/EYES: LONG TERM OVEREXPOSURE MAY CAUSE SUSCEPTIBILITY TO BRUISING/LONGER BLOOD-CLOTTING TIMES/BLOOD IN STOOL/URINE/EXCESSIVE MENSTRUAL BLEEDING/RED/PURPLE SPOTS/BLOTCHES ON S KIN/PERSISTENT OOZING FROM SUPERFICIAL INJURIES.
Medical Cond Aggravated by Exposure:PRE-EXISTING DISEASES OF THE BONE MARROW.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF REQUIRED. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS. INGESTION: IMMEDIATELY GIVE 2 GLASSES OF WATER & INDUCE VOMITING. NEVER GIVE A NYTHING TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN: PRODUCT IS INDICATED FOR PHROPHYLAXIS/TREATMENT OF VENOUS THROMBOSIS & ITS EXTENSION, (SEE SUPP)
======================================
Extinguishing Media:WATER SPRAY, FOAM, DRY POWDER, DRY CHEMICAL, CO2. Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA.
========= Accidental Release Measures ============
Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. RECOVER UNDAMAGED/MINIMALLY CONTAMINATED MATERIAL FOR REUSE/RECLAMATION. AVOID DUST GENERATION.
======================================
Handling and Storage Precautions:

IN AREAS WHERE THEY MAY BECOME CONTAMINATED W/THIS MATERIAL. STORI 59-86F. PROTECT FROM LIGHT.
Other Precautions:AVOID DUST GENERATION. CLOSE CONTAINER AFTER EACH USE. KEEP CONTAINER TIGHTLY CLOSED. AVOID BREATHING DUST, CONTACT W/EYES/SKIN/CLOTHING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR/POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR WHEN
JUDGED APPROPRIATE TO PREVENT INHALATION OF DUST.
Protective Gloves:NEOPRENE, TYVEK
Eye Protection:SAFETY GLASSES & FULL FACE SHIELD Other Protective Equipment:NEOPRENE/TYVEK APRON, BOOTS, JUMPSUIT, WHOLE BOBYSUIT.
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health LD50 DATA IS FOR WARFARIN SODIUM. NOTE TO PHYSICIAN CONT'D: PULMONARY
EMBOLISM/THROMBOEMBOLISM ASSOCIATED W/ATRIAL FIBRILLATION & A
S AN
ADJUNCT IN PROPHYLAXIS OF SYSTEMIC EMBOLISM AFTER MYOCARDIAL INF ARCTION. ANTICOAGULANT EFFECT GENERALLYOCCURS W/IN 24 HRS, MAY BE DELAYED 72-96 HRS, & MAY PERSIST FOR 4-5 DAYS.
======================================
Appearance and Odor:PINK TABLET W/NO ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:LIGHT
Hazardous Decomposition Products:NONE
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. INNER PACKAGINGS SHOULD CONTAIN NO MORE THAN 5 KG OF THIS PRODUCT.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

DON'T STORE/CONSUME FOOD/DRINK/TOBACCO

di

sclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.