

QCM COMPANY -- P7002-27038 BLACK PLASTISOL -- 8030-00-145-0151

=====
Product Identification
=====

Product ID:P7002-27038 BLACK PLASTISOL

MSDS Date:05/20/1994

FSC:8030

NIIN:00-145-0151

Kit Part:Y

MSDS Number: BTVWM

=== Responsible Party ===

Company Name:QCM COMPANY

Address:930 SOUTH CENTRAL AVE

City:KENT

State:WA

ZIP:98032

Country:US

Info Phone Num:206-859-0933

Emergency Phone Num:206-859-0933/800

-424-9300(CHEMTREC)

Preparer's Name:ROY WHEELDON

CAGE:8L872

=== Contractor Identification ===

Company Name:Q C M CO

Address:930 CENTRAL AVE S

Box:City:KENT

State:WA

ZIP:98032-6105

Country:US

Phone:253-859-0933, FAX 253-859-0935

CAGE:8L872

=====
Composition/Information on Ingredients
=====

Ingred Name:VINYL CHLORIDE MONOMER (SARA III)

CAS:75-01-4

RTECS #:KU9625000

Fraction by Wt: 350F,>177C

Extinguishing Media:DRY CHEMICAL, REGULAR FOAM, OR WATER FOG.

Fire Fighting Procedures:

WEAR SELF CONTAINED BREATHING APPARATUS IF
IGNITED.

Unusual Fire/Explosion Hazard:TOXIC GASES CAN FORM - CARBON DIOXIDE,
CARBON MONOXIDE, AND VARIOUS HYDROCARBONS.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS: ABSORB ON VERMICULITE OR FLOOR
DRY. LARGE SPILLS: PUMP TO SALVAGE TANK.

===== Handling and Storage =====

Handling and Storage Precautions:CONTAINERS MAY BE HAZARDOUS WHEN
EMP

TIED DUE TO VAPOR BUILD-UP. STORE BETWEEN 50 F AND 90 F, AWAY
FROM HEAT OR FLAME.

Other Precautions:ALL HAZARD PRECAUTIONS IN THE DATA SHEET MUST BE
OBSERVED. THIS PRODUCT CONTAINS A SECTION 313 CHEMICAL SUBJECT TO
THE REPORTING REQUIREMENTS OF TITLE III OR SARA AND 40 CFR PART
372.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RECOMMENDED IF LOCAL EXHAUST. NIOSH APPROVED.

Ventilation:LOCAL EXHAUST: RECOMMENDED FOR HEAT PROCESSING. M
ECHANICAL

(GENERAL) RECOMMENDED.

Protective Gloves:POLYETHEYLENE TYPE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:OTHER PROTECTIVE EQUIPMENT AND PRECAUTIONS:
WASH WITH SOAP AND WATER IF CONTACT WITH SKIN.

Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE. WASH CONTAMINATED
CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Spec Gravity:1:1 (WATER=1)

Solubility in Water:NEGLIGIBLE

Appearance an

d Odor:BLACK COLORED LIQUID - VISCOUS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
VARIOUS HYDROCARBONS, HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE ACCORDING TO LOCAL AND FEDERAL
STANDARDS. LIQUID FORM IS HA

ZARDOUS. SOLID IS NOT. LIQUID HAZARD

WASTE CODES: D005, D006.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility f

or the suitability of this information to their
particular situation.