

AMERICAN WRITING INK CO. INC. -- INK; STAMP-PAD - BLACK -- 7510-00-782-6257

=====
Product Identification
=====

Product ID:INK; STAMP-PAD - BLACK

MSDS Date:06/16/1991

FSC:7510

NIIN:00-782-6257

MSDS Number: BTWBB

=== Responsible Party ===

Company Name:AMERICAN WRITING INK CO. INC.

Address:33 FARNSWORTH STREET

City:BOSTON

State:MA

ZIP:02210-1210

Country:US

Info Phone Num:617-482-9167

Emergency Phone

Num:617-482-9167

CAGE:82956

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

=====
Composition/Information on Ingredients
=====

Ingred Name:DYE-NIGROSIN

CAS:8005-03-6

Ingred Name:PROPYLENE GLYCOL

CAS:57-55-6

RTECS #:TY2000000

Other REC Limits:RICHMOND

=====
Hazards Identification
=====

Ro

utes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO EVIDENCE OF ADVERSE EFFECTS FROM
INHALATION, SKIN CONTACT OR INGESTION. EYE/SKIN CONTACT MIGHT BE
AN IRRITATION. PROLONGED CONTACT MIGHT CAUSE A SOFTENING TO SKIN.
INGESTION MIGHT CAUSE NAUSEA, V OMITING, DIARRHEA, CYANOSIS.
Explanation of Carcinogenicity:MANUFACTURER GAVE NO COMMENTS OTHER THAN
THE ABOVE REFERENCES TO THE THREE LISTINGS.

E
ffects of Overexposure:INGESTION MIGHT CAUSE IRRITATION OF DIGESTIVE
TRACT.
Medical Cond Aggravated by Exposure:NO EVIDENCE FROM AVAILABLE
INFORMATION.

=====
First Aid Measures
=====

First Aid:FLUSH EYE AND SKIN WITH MUCH WATER, USE SOAP/WATER FOR SKIN.
INGESTION: DRINK LARGE QUANTITIES OF WATER. THEN INDUCE VOMITING BY
FINGER PLACEMENT IN BACK OF THROAT. SEE PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:360F,182C
Lower Limits:NO DATA
Upper Limits:NO DATA
Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL FOR SMALL FIRES.
USE ALCOHOL-TYPE FOAM OR WATER SPRAY FOR LARGE FIRES.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL. PREVENT ENVIRONMENTAL
CONTAMINATION OF GROUND AND SURFACE WATERS. REMOVE SPILLED INK ON
ADSORBENTS
SUCH AS SAWDUST OR VERMICULITE. AFTER SUCH REMOVAL,
THOROUGHLY WET AND CLEAN AREA.
Neutralizing Agent:NO INFORMATION GIVEN BY MFR ON MSDS.

=====
Handling and Storage
=====

Handling and Storage Precautions:NORMAL PRECAUTIONS COMMON TO
PROTECTION OF CLOTHING & SURROUNDING ENVIRONMENT. KEEP CONTAINER
TIGHTLY CLOSED. KEEP OUT OF DIRECT SUNLIGHT.
Other Precautions:STORE IN DRY PLACE. KEEP OUT OF REACH OF CHILDREN.
AVOID SKIN CONTACT, DO NOT GET ON

CLOTHING AND CARPETS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED

Ventilation:NO SPECIAL EXHAUST.

Protective Gloves:UNLESS PRONE TO SPILLING

Eye Protection:UNLESS PRONE TO SPLASHING

Other Protective Equipment:INK WILL PERMANENTLY STAIN CLOTHING. CAUTION ADVISED.

Work Hygienic Practices:USE PRODUCT WITH DUE DILIGENCE.

Supplemental Safety and Health

MSDS RECEIVED FROM NAVY (FOCAL POINT N). CAGE CODE AND NSN IDENTIFIED BY THEM.

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>250F,>121C

Vapor Pres: