

DAP INC -- WELDWOOD CONTACT CEMENT (REGULAR),30202 -- 8040-00-142-9193

=====
Product Identification
=====

Product ID:WELDWOOD CONTACT CEMENT (REGULAR),30202

MSDS Date:10/21/1993

FSC:8040

NIIN:00-142-9193

MSDS Number: BTZVJ

=== Responsible Party ===

Company Name:DAP INC

Address:5300 HUBERVILLE RD

Box:277

City:DAYTON

State:OH

ZIP:45401

Country:US

Info Phone Num:800-513-3810

Emergency Phone Num:800-

543-3840 800-535-5053

CAGE:90300

=== Contractor Identification ===

Company Name:BARR LMBR BELLFLOWER

CAGE:BARRL

Company Name:BEECHAM HOME IMPROVEMENT PRODUCTS INC

Address:855 N 3RD ST

Box:277

City:TIPP CITY

State:OH

ZIP:45371-3014

Country:US

CAGE:1BL51

Company Name:DAP INC.

Address:Box:277

City:DAYTON

State:OH

ZIP:45401-0277

Country:US

Phone:513-253-7154/800-543-3840

CAGE:90300

=====
Composition/Information on Ingredients
=====

Ingred Name:VM & P NAPHTHA

CAS:64742-89-8

Fracti

on by Wt: 30 - 35%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:HEXANE (N-HEXANE) (CERCLA)
CAS:110-54-3
RTECS #:MN9275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9495
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:TOLUENE (SARA 313) (CERCLA)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 15 - 20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9495
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 15 - 20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:750PPM/1000STEL;9495
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS: 641 GRAMS/L.
RTECS #:9999999VC
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

==== Hazards Identification =====

LD50 LC50 Mixture:TLV 50 PPM

FOR TOLUENE.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, LUNGS, LIVER, KIDNEY, BRAIN. ACUTE- MAY CAUSE EYE, SKIN, RESPIRATORY TRACT IRRITATION. MAY BE HARMFUL IF INHALED/ABSORBED THROUGH SKIN. INHALATION MAY HAVE CNS EFFECTS CAUSING DIZZINESS. HARMFUL/FATAL IF SWALLOWED.ASPIRATION HAZARD. CHRONIC- MAY CAUSE LIVER, KIDNEY, BRAIN DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE IRRITATION, TEARING, BLURRED VISION; SKIN IRRITATION, DEFATING, ITCHING, BLISTRING; RESPIRATORY TRACT IRRITATION, HEADACHE, DIZZINESS, WEAKNESS, FATIGUE, GASTROINTESTINAL TRACT IRRITATION, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN, MUSCULAR WEAKNESS

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED LIVER, KIDNEY, BRAIN OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point: