

LORD CORP CHEMICAL PRODUCTS GR -- FUSOR 305-2 EPOXY

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-145-0076
MSDS Date: 12/17/1992
MSDS Num: BVFKC
Product ID: FUSOR 305-2 EPOXY
MFN: 03
Kit Part: Y
Responsible Party
Cage: 30676
Name: LORD CORP CHEMICAL PRODUCTS GROUP
Address: 2000 W GRANDVIEW BLVD
C
City: ERIE PA 16514
Info Phone Number: 814-868-3611
Emergency Phone Number: 814-763-2345
Preparer's Name: UNKNOWN
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: HOLLE
Name: HOLLEN (803-849-9772)
Address: UNKNOWN
City: UNKNOWN NK 00000
Phone: UNKNOWN
Cage: 76005
Name: LORD CORP AEROSPACE PRODUCTS DIVISION
Address: 1635 W 12TH STREET
Box: 10039
City: ERIE PA 16514

Phone: 814-868-5424
Cage: 30676
Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA 16514-0038
Phone: 814-868-3611

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: KT
UI Container Qty: 2
Type of Container: UNKNOWN
=====

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS UNKNOWN.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: TARGET ORGANS:EYES, SKIN. ACUTE- EYE:MAY CAUSE IRRITATION.

SKIN:MAY CAUSE SENSITIZATION, IRRITATION, DERMATITIS. INHALE:VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. ORAL:ASPIRATION HAZARD. CHRONIC- DERMATITIS.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: EYE, SKIN, RESPIRATORY TRACT IRRITATION

Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First Aid: GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

SKIN:WASH WITH SOAP &

WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.

INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 1-2 GLASSES OF WATER/MILK. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

=====

Handling and Disposal

=====

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA . CONTAIN

SPILL. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND/NON-SPARKING TOOLS. PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS/WATERWAYS.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACILITY.

Handling And Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA AWAY FROM

M SPARKS, FLAMES AND INCOMPATIBLES.

Other Precautions: DO NOT USE NEAR FLAME. KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. STORE DRUMS OUT OF SUN. KEEP OUT OF REACH OF CHILDREN.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point Text: >200F,>93C

Extinguishing Media: DRY CHEMICAL, WATER FOG, FOAM/CARBON DIOXIDE. WATER SHOULD BE USED TO

COOL FIRE-EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.

Unusual Fire/Explosion Hazard: CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

=====
Control Measures
=====

Respiratory Protection: IF ENGINEERING CONTROLS ARE INADEQUATE TO CONTROL VAPOR CONCENTR

ATIONS TO AN ACCEPTABLE LEVEL, A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR SHOULD BE WORN. FOR EMERGENCY SITUATIONS/CONFINED SPACE USE, WE ARE AN APPROVED AIR-SUPPLIED RESPIRATOR.

Ventilation: ADEQUATE

Protective Gloves: RUBBER, NEOPRENE OR NITRILE

Eye Protection: CHEMICAL GOGGLES IF SPLASHING MAY OCCUR

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE PRACTICES. LAUNDRY CONTAMINATED CLOTHING BEFORE WEARING.

Supplemental Safety and Health: FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A OR B, SAME NSN.

=====
Physical/Chemical Properties
=====

HCC: T6

NRC/State LIC No: NOT RELEVANT

B.P. Text: 527F,275C

M.P/F.P Text: NOT KNOWN

Decomp Text: NOT KNOWN

Vapor Pres: UNKNOWN

Vapor Density: >1

Spec Gravity: 0.960

Solubility in Water: INSOLUBLE

Appearance and Odor:

BLUE LIQUID WITH MILD ODOR

Percent Volatiles by Volume: 1.0

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES

Materials To Avoid: AMINES, ACIDS, WATER, HYDROXYL OR ACTIVE HYDROGEN COMPOUNDS

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES

Hazardous Polymerization Indicator: NO

Conditions To Avo

id Polymerization: NOT RELEVANT
=====

Toxicological Information
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Other Information
=====

Transportation Information
=====

Responsible Party Cage: 30676

Trans ID NO: 50581

Product ID: FUSOR 305-2 EPOXY

MSDS Prepared Date: 12/17/1992

Review Date: 09/28/1994

MFN: 3

Net U

nit Weight: UNKNOWN

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Container QTY: 2

Type Of Container: UNKNOWN

Additional Data: 1 GALLON BASIC RESIN AND 1 GALLON ACCELERATOR
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Informatio

n

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: FUSOR 305-2 EPOXY

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA

Zipcode: 16514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 09/28/1994

Status Code:

C

MFG Label NO: NOT RELEVANT

Label Date: 09/28/1994

Origination Code: F

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYES, SKIN. ACUTE- EYE:MAY CAUSE IRRITATION. SKIN:MAY CAUSE SENSITIZATION, IRRITATION, DERMATITIS.

INHALE:VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. ORAL:ASPIRATION HAZARD.

CHRONIC- DERMATITIS. STORE IN COOL, VENTILATED AREA AWAY FROM FLAMES &

amp;

INCOMPATIBLES. PICK UP SPILL WITH INERT MATERIAL. FIRST AID- GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 1-2 GLASSES OF WATER/MILK. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person

n

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.