View NSN Online: https://aerobasegroup.kr/nsn/6750-01-178-4421

EASTMAN KODAK COMPANY -- 153 2753 FLEXICOLOR DEVELOPER REPLENISHER-PT.A

6750-01-178-4421

============= Product Identification =================

Product ID:153 2753 FLEXICOLOR DEVELOPER REPLENISHER-PT.A

MSDS Date:01/09/1998

FSC:6750

NIIN:01-178-4421

Kit Part:Y

MSDS Number: BVFMS === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US Info Ph

one Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Info

rmation on Ingredients =======

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 55-60%

Other REC Limits: NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000 Fraction by Wt: 25-30%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PENTETIC ACID, PENTA SODIUM SALT

CAS:140-01-2

Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM BICARBONATE

CAS:298-14-6

Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION-EXPECTED TO BE A LOW HAZARD

FOR USUAL INDUSTRIAL OR CO

MMERCIAL HANDLING BY TRAINED PERSONNEL. EYES-CAUSES IRRITATION. SKIN-THIS MATERIAL HAS A LOW POTENTIAL TO CAUSE ALLERGIC SKIN REACTION. INGESTION-HARMFUL IF SWALLOWED. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: INGESTION-SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. Medical Cond Aggravated by Exposure: NONE SPE CIFIED BY MANUFACTURER. First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. _____ ===== Fire Fighting Measures =========== Flash Point: NONFLAMMABLE Extinguishing Media: USE APPROPIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. NEUTRALIZE PRIOR TO DISPOSAL. NEUTRALIZATION AND SEWERING MAY NOT BE ALLOWED IN SOME STATES OR MUNICIPALITIES. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. KEEP CONTAINER CLOSED. Other Precautions: AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE

VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection ======

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS.

Protective Gloves: IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection: WEAR SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment: EYE BATH, SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEY1;B3

| Physical/Chemical Properties | == |
|----------------------------------|----|
| | |

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:24 Vapor Density:0.6 Spec Gravity:1.4 pH:11.2

Solubility in Water: COMPLETE

Appearance and Odor:LIQUID;COLORLESS;ODORLESS.

Percent Volatiles by Volume:55-60

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS.

Stability Condition to Avoid:STABLE.

Hazardous Decomposition Products: NONE.

====== Disposal Considerations ==========

Wa

ste Disposal Methods:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.
SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLW LABEL
WARNINGS EVEN AFTER CONTAINER IS EMPTIED. DISCHARGE, TREATMENT OR
DISPOSAL MAY BE SUBJECT TO NA TIONAL, STATE OR LOCAL LAWS.
NEUTRALIZE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly

or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.