View NSN Online: https://aerobasegroup.kr/nsn/7930-01-380-8450

S.C. JOHNSON WAX -- SHOW PLACE -- 7930-01-380-8450

Product ID:SHOW PLACE MSDS Date:02/20/1992

FSC:7930

NIIN:01-380-8450

MSDS Number: BVGVT === Responsible Party ===

Company Name: S.C. JOHNSON WAX

City:RACINE State:WI

ZIP:53403-5011 Country:US

Info Phone Num:414-631-2777

Emergency Phone Num:800-228-5635 EXT 092

Preparer's Name: TERRY A MEYERS

CAGE:GO050 === Contract

or Identification ===

Company Name: S C JOHNSON & SON INC/PROF WAX DIV

Address:1525 HOWE ST

City:RACINE State:WI ZIP:53403 Country:US

Phone:800-725-6737/414-886-1480 INTNL#

CAGE:0U826

Company Name: S.C. JOHNSON WAX CORP.

Address:1525 HOWE ST

City:RACINE State:WI

ZIP:53403-2237 Phone:414-631-2488

CAGE:GO050

======= Composition/Information on Ingredients ========

Ingred Name:STYRENE/ACRYLIC POLYMERS

Fraction by Wt: 10-20%

Other REC Limits:NONE RECOMMENDED

Ingred Name: DIETHYLENE GLYCO

Other REC Limits: NONE RECOMMENDED Ingred Name:TRIBUTOXYETHYL PHOSPHATE CAS:78-51-3 RTECS #:KJ9800000 Fraction by Wt: 1-4% Other REC Limits: NONE RECOMMENDED Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 70-90% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification =============== Health Hazards Acute and Chronic:DIRECT CONTACT OF PRODUCT WITH EYES **MAY CAUSE** MINOR IRRITATION. First Aid:FLUSH EYES WITH WATER FOR 15 - 20 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL AID. WASH SKIN WITH PLENTY OF WATER. IF IRRITATION PERSISTS. SEEK MEDICAL AID. ============ Fire Fighting Measures ========================= Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG, OTHER Fire Fighting Procedures: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. COOL AND USE CAUTION WHEN A PPROACHING OR HANDLING FIRE-EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: CONTAINER MAY BURST IN HEAT OF FIRE. ======== Accidental Release Measures =========== Spill Release Procedures: ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE. =========== Handling and Storage ============================ Handling and Storage Precautions: KEEP OUT OF REACH OF CHILDREN. Other Precautions: WASH THOROUGHLY AFTER HANDLING. KEEP FROM FREE

L MONOETHYL ETHER (SARA III)

CAS:111-90-0

RTECS #:KK8750000 Fraction by Wt: 2-4%

ZING. KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.  Ventilation:GENERAL ROOM VENTILATION ADEQUATE.  Protective Gloves:NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.  Supplemental Safety and Health
======================================
Boiling Pt:B.P. Text:>200F,>93C Spec Gravity:1.03 (WATER=1) pH:* Evaporation Rate & amp; Reference:N/K * PH: 8.7-9.2 Solubility in Water:COMPLETE Appearance and Odor:OPAQUE, TAN LIQUID WITH MILD WAX ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE KNOWN Stability Condition to Avoid:NONE KNOWN Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.
====== Disposal Considerations ====================================

Waste Disposal Methods:NO SPECIAL METHOD.OBSERVE FED/STATE REGS & LOCAL ORDINANCES REGARDING DISPOSAL OF NON-HAZARDOUS MAT'LS. WASTE FROM NORMAL PRODUCT USE MAY BE SEWERED TO PUBLIC-OWNED TREATMENT WORKS (POTW) IN COMPLIANC E WITH FED,STATE,LOCAL PRETREATMENT REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.