

SHERWIN WILLIAMS CO -- 1601 GLOSSY BLACK, SPRAY PAINT -- 8010-00-132-2863

=====  
Product Identification  
=====

Product ID:1601 GLOSSY BLACK, SPRAY PAINT

MSDS Date:01/04/1993

FSC:8010

NIIN:00-132-2863

MSDS Number: BVMYL

=== Responsible Party ===

Company Name:SHERWIN WILLIAMS CO

Address:31500 SOLON RD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:800-247-3266

Emergency Phone Num:216-292-740

0

CAGE:54626

=== Contractor Identification ===

Company Name:SHERWIN WILLIAMS COMPANY

Address:101 PROSPECT AVE NW

City:CLEVELAND

State:OH

ZIP:44115

Country:US

Phone:216-566-2902

CAGE:54626

Company Name:SHERWIN-WILLIAMS CO THE

Address:101 PROSPECT AVE NW

Box:City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Phone:800-251-2486/216-566-2242

CAGE:54636

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PROPANE. VP: 760

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 13%

OSHA PEL:1000 PPM  
ACGIH TLV:ASPHYXIAN

Ingred Name:PROPANE, 2-METHYL-; (2-METHYLPROPANE)  
CAS:75-28-5  
RTECS #:TZ4300000  
Fraction by Wt: 8%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:TOLUENE (SARA III). VP: 22  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 2%  
OSHA PEL:200 PPM;150 STEL  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:BENZENE, ETHYL-; (ETHYL BENZENE) (SARA III). VP: 7.1  
CAS:100-41-4  
RTECS #:DA0700000  
Fraction by Wt: 2%  
OSHA PEL:100 PPM;125 STEL  
ACGIH TLV:100  
PPM;125 STEL  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE. VP: 5.9  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 8%  
OSHA PEL:100 PPM;150 STEL  
ACGIH TLV:100 PPM;150 STEL  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III). VP: 180  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 35%  
OSHA PEL:1000 PPM  
ACGIH TLV:750 PPM;1000 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTANONE; (METHYL ETHYL KETONE). VP: 70  
CAS:78-93-3  
RTECS #:EL6475000  
Frac

tion by Wt: 12%  
OSHA PEL:N/K  
ACGIH TLV:N/K  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-PENTANONE, 4-METHYL-; (METHYL ISOBUTYL KETONE) (SARA III). VP: 18  
CAS:108-10-1  
RTECS #:SA9275000  
Fraction by Wt: 1%  
OSHA PEL:100 PPM;75 STEL  
ACGIH TLV:50 PPM;75 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID, 2-METHOXY-1-METHYLETHYL ESTER;  
(1-METHOXY-2-PROPANOL ACETATE). VP: 1.8  
CAS:108-65-6  
RTECS #:AI8925000  
Fraction by Wt: 8%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingr  
ed Name:VOLATILE ORGANIC COMPOUNDS: 88%  
RTECS #:9999999VO

Ingred Name:SUPP DATA: PRODS MAY CAUSE A HLTH HAZ. SYMPS MAY NOT BE IMMED APPARENT. OBTAIN MED ATTENTION.  
RTECS #:9999999ZZ

Ingred Name:EFTS OF OVEREXP: TO LIVER, URINARY, BLOOD-FORMING, CARDIOVASCULAR, & REPROD SYS. METHYL ETHYL KETONE MAY INCR (ING 11)  
RTECS #:9999999ZZ

Ingred Name:ING 12: NERV SYS EFTS OF OTHER SOLVS. INTENTIONAL MISUSE BY DELIB CONC & INHAL CONTENTS CAN BE HARMFUL/FATAL.(ING 14)  
RTECS #:9999999ZZ

Ingre

d Name:ING 13:NOTE: TOLUENE APPEARS ON NAVY LIST OF OCCUP CHEM  
REPROD HAZS. SEEK CONSULT FROM APPROP HLTH PROFESSIONALS(ING 15)  
RTECS #:9999999ZZ

Inged Name:ING 14:CONCERNING LATEST HAZ LIST INFO & SAFE HNDLG & EXPOS  
INFO . REPORTS HAVE ASSOC RPTD & PRLNGD OCCUP (ING 16)  
RTECS #:9999999ZZ

Inged Name:ING 15: OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND  
NERVOUS SYSTEM DAMAGE.  
RTECS #:9999999ZZ

Inged Name:OTHER PREC: CONSULT NFPA CODE. USE APPRVD BONDING &  
GROUNDING PROC.  
CONTENTS UNDER PRESS. DO NOT PUNCTURE, (ING 18)  
RTECS #:9999999ZZ

Inged Name:ING 17: INCINERATE, OR EXPOSE TO TEMPS >120F. KEEP FROM  
SUNLIGHT, RADIATORS, STOVES, HOT WATER, & OTHER HEAT (ING 19)  
RTECS #:9999999ZZ

Inged Name:ING 18: SOURCES COULD CAUSE CNTNR TO BURST. DO NOT TAKE  
INTERNALLY. KEEP OUT OF REACH OF CHILDREN. THIS COATING (ING 20)  
RTECS #:9999999ZZ

Inged Name:ING 19:MAY CNTN MATLS CLASSIFIED AS NUISANCE PARTICULATES  
WHICH MAY BE PRESENT AT HAZ LEVELS ONLY DURING SA  
NDING(ING 21)  
RTECS #:9999999ZZ

Inged Name:ING 20:OR ABRADING OF DRIED FILM. IF NO SPECIFIC DUSTS ARE  
LISTED IN ING SECT, APPLICABLE LIMITS FOR NUISANCE(ING 22)  
RTECS #:9999999ZZ

Inged Name:ING 21: DUSTS ARE ACGIH TLV 10 MG/M3 TDUST, OSHA PEL 25  
MG/M3 (TDUST), 5 MG/M3 (RESP)  
RTECS #:9999999ZZ

Inged Name:RESP PROT: WHICH MAY BE GENERATED FROM THIS PRODUCT,  
UNDERLYING PAINTS, OR THE ABRASIVE.  
RTECS #:9999999ZZ

Inged Name:VENT: EXPOSURE LIMITS. REFER TO OSHA STANDARDS 1910.94,

1910.107, 1910.108.  
RTECS #:9999999ZZ

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EXPOSURE MAY BE BY INHAL &/OR SKIN OR  
EYE CNTCT, DEPENDING ON CNDTNS OF USE. TO MINIMIZE EXPOSURE, FOLLOW  
RECOM FOR PROPER USE, VENT, & PERSON PROT EQUIP. IRRIT OF EYES,  
SKIN & RESP SYS  
. MAY CAUSE NER V SYS DEPRESSION. EXTREME OVEREXP  
MAY RESULT IN UNCON & POSS DEATH. HDCH, DIZZ, NAUS AND LOSS OF  
(EFTS OF OVEREXP)  
Explanation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:HLHT HAZ: COORD ARE INDICATIONS OF EXCESS  
EXPOSURE TO VAPS/SPRAY MISTS. REDNESS & ITCHING/BURNING SENS MAY  
INDICATE EYE OR EXCESS SKIN EXPOSURE. CHRONIC: NO INGRED IN THESE  
PRODS IS AN IARC, NTP OR OS HA LISTED CARCIN. PRLNGD OVEREXP TO  
SOLV INGRED IN INGRED SECT MAY CAUSE ADV  
ERSE EFTS (ING 12)  
Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

=====  
===== First Aid Measures =====

First Aid:INHAL: REMOVE FROM EXPOSURE, RESTORE BREATHING. KEEP WARM &  
QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER.  
REMOVE CONTAM CLOTHING & LAUNDRER BEFORE RE-USE. EYE: FLUSH EYES  
W/LRG AMTS OF WATER FOR @ LST 15 MIN. GET MED ATTN. INGEST: GET  
MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:0F,0F,>-18C  
Vapor Pres:SEE INGS  
Vapor Density:HVR/AIR  
Evaporation Rate & Reference:FASTER THAN ETHER  
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:BY FIRE: CARBON DIOXIDE, CARBON  
MONOXIDE, OXIDES OF METALS IN IN

INGREDIENTS.

===== Disposal Considerations =====

Waste Disposal Methods: WASTE FROM PROD MAY BE HAZ AS DEFINED UNDER RCRA 40 CFR 261. WASTE MUST BE TESTED FOR IGNIT TO DETERMINE APPLIC EPA HAZ WASTE NO. INCINERATE IN APPRVD FACILITY. DO NOT INCINERATE CLSD CNTNR. DISP OF I/A/W FED, STATE & LOC REGS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.