View NSN Online: https://aerobasegroup.kr/nsn/6550-01-153-6991 BIOMERIEUX VITEK INC -- KOVACS REAGENT -- 6550-01-153-6991 ============= Product Identification ======================== Product ID:KOVACS REAGENT MSDS Date:02/26/1997 FSC:6550 NIIN:01-153-6991 MSDS Number: BVQCS === Responsible Party === Company Name: BIOMERIEUX VITEK INC Address:595 ANGLUM DR City:HAZELWOOD State:MO ZIP:63042-2320 Country:US Info Phone Num:800-638-4835 Emergency Phone Num:314-854-0344 OR LOCAL POISON CENTE R CAGE:BIOM1 === Contractor Identification === Company Name: BIOMERIEUX VITEK INC Address:595 ANGLUM DR City:HAZELWOOD State:MO ZIP:63042 Country:US Phone:800-638-4835 CAGE:BIOM1 Company Name: BIOMERIEUX VITEK, INC. Address:595 ANGLUM DRIVE Box:City:HAZELWOOD State:MO ZIP:63042 Country:US Phone:800-638-4835 CAGE:4S002 ======= Composition/Information on Ingredients ========

Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA 302/313) (CERCLA) CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 24%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM; 9596 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:P-DIMETHYLAMINO BENZALDEHYDE

CAS:100-10-7

RTECS #:CU5775000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMYL ALCOHOL

CAS:71-41-0

RTECS #:SB9800000 Fraction by Wt: 71%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ================

LD50 LC50 Mixture:ORAL LD50 (RAT) 2200 MG/KG (N-PENTYL A

L)


Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION MAY CAUSE SEVERE IRRITATION
TO MUCOUS MEMBRANES AND RESPIRATORY TRACT, PULMONARY EDEMA. CONTACT
WITH SKIN MAY CAUSE SEVERE IRRITATION AND CHEMICAL BURNS. CONTACT
WITH EYES MAY CAUSE SEVERE IRRITATION AND BURNS LEADING TO
PERMANENT DAMAGE AND POSSIBLE BLINDNESS. INGESTION MAY CAUSE SEVERE
BURNS AND CNS EFFECT

Explanation o

f Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:MUCOUS MEMBRANE IRRITATION, RESPIRATORY TRACT IRRITATION, COUGHING, BURNING OF NOSE AND THROAT, HEADACHE, DIZZINESS, NARCOSIS, SHORTNESS OF BREATH, CHEST PAIN, PULMONARY EDEMA, SKIN IRRITATION/BURNS, EYE IRRITATION, BLINDNESS, BURNS TO MOUTH/THROAT/GASTROINTESTINAL TRACT, DIZZINESS, NAUSEA, VOMITING, DIARRHE



## SMOKING IN STORAGE AND USE AREAS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:BUTYL RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLE

S

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

THE FLASH POINT IS ESTIMATED AT