Product ID:SF-9700V1/ND1 MSDS Date:12/19/1989 FSC:6850 NIIN:01-336-0139 MSDS Number: BVQGF === Responsible Party === Company Name:SHARP CORP Address:22-22 City:NAGAIKE-CHO, ABENO-KY, OSAKA, JAPAN Info Phone Num:201-529-8200 Emergency Phone Num:201-529-9223 CAGE:S4117 === Contractor Identification === Company Name:SH **ARP CORPORATION** Address:22 22 NAGAIKE CHO ABENO KU Box:City:OSAKA, JAPAN Country: JA Phone:800-237-4277/800-255-3924 CAGE:S4117 Company Name: SHARP ELECTRONICS CORP. Address:SHARP PLAZA Box:City:MAHWAH State:NJ ZIP:07430-2135 Country:US Phone:201-529-9223 CAGE:18520

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 0.15% OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3

Ingred Name: FERRITE (FERROSPINEL); (FERRITE)

CAS:1317-54-0 RTECS #:LK0495000 Fraction by Wt: 97.5% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:STYRENE ACRYLATE COPOLYMER Fraction by Wt: 2.15% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:PROPENE POLYMERS; (POLYPROPYLENE) CAS:9003-07-0 RTECS #:WD1842000 Fraction by Wt: 0.1% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:METAL COMPLEX OF AZO DYE Fraction by Wt: 0.075% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:IRON OXIDE CAS:1332-37-2 RTECS #:NO7380000 Fraction by Wt: 0.025% OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3 (FE)

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MINIMAL IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:A

CCUMULATION OF DUST IN THE RESPIRATORY SYSTEM.

======================================
First Aid:INGEST:CALL MD IMMEDIATELY . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . INHAL:REMOVE TO FRESH AIR, IF EFFECTS OCCUR, CONSULT LOCAL MEDICAL PERSONNEL. EYE:IMMEDIATELY FLUSH W/WATER FO R AT LEAST 15 MINUTES.
======================================
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM OR WATER. Fire Fighting Proc edures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT . Unusual Fire/Explosion Hazard:THIS MATERIAL HAS NO UNUSUAL FIRE OR EXPLOSION HAZARDS.
======================================
Spill Release Procedures:SWEEP UP OR CLEAN UP W/VACUUM CLEANER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:NO SPECIAL STORAGE REQUIREMENTS FOR SAFETY REAS ONS.
Other Precautions:NONE.
======================================
Respiratory Protection:NONE REQUIRED UNDER NORMAL USE. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . Ventilation:NO. Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS . Other Protective Equipment:NONE REQUIRED UNDER NORMAL USE. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUF

ACTURER.

Spec Gravity:5 (H*2O=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:FINE BLACK POWDER; ODORLESS.

Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:CO, CO*2 & NO*X.

Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professio nal advice to verify and assume responsibility for the suitability of this information to their particular situation.