View NSN Online: https://aerobasegroup.kr/nsn/6520-01-327-0658

IVOCLAR NORTH AMERICA INC -- 2040410 FUSED ALUMINUM OXIDE BLASTING COMPOUND --

6520-01-327-0658

============= Product Identification =================

Product ID:2040410 FUSED ALUMINUM OXIDE BLASTING COMPOUND

MSDS Date:07/08/1994

FSC:6520

NIIN:01-327-0658

MSDS Number: BVTNG === Responsible Party ===

Company Name: IVOCLAR NORTH AMERICA INC

Address:175 PINEVIEW DR

City: AMHERST

State:NY

ZIP:14228-2286

Country:US Info Pho

ne Num:716-691-0010

Emergency Phone Num:716-691-0010 Preparer's Name:LLOYD V ZIEMENDORF

CAGE:0T2N6

=== Contractor Identification ===

Company Name: IVOCLAR NORTH AMERICA INC

Address:175 PINEVIEW DR

Box:City:AMHERST

State:NY

ZIP:14228-2286 Country:US

Phone:716-691-0010

CAGE:0T2N6

======= Composition/Information on Ingredients ========

Ingred Name: ALUMINUM OXIDE, BAUXITE, ALUMINA, DIALUMINUM TRIOXIDE

CAS:1344-28-1

RTECS #:BD1200000 Fraction by Wt: 60-100% OSHA PEL:5 MG/CUM

**ACGIH TLV:5** 

MG/CUM
======================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION OF FINE PARTICLES MAY CAUSE LUNG DAMAGE, SHAVER'S DISEASE, RESPIRATORY IRRITATION, CHOKING SENSATION.  Explanation of Carcinogenicity:NONE Effects of Overexposure:INHALATION OF FINE PARTICLES MAY CAUSE LUNG DAMAGE, SHAVER'S DISEASE, RESPIRATORY IRRITATION, C HOKING
SENSATION.  Medical Cond Aggravated by Exposure:PRE-EXISITING LUNG DISORDERS
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: RINSE W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Extinguishing Media:FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:EXOTHERMIC REACTION >392F W/HALO-CARBON VAPO RS.
======== Accidental Release Measures ==========
Spill Release Procedures:CLEAN UP USING METHODS TO AVOID DUST GENERATION. IF VACUUM IS USED EXHAUST AIR SHOULD BE FILTERED BY A HIGH EFFICIENCY PARTICULATE AIR FILTER. COMPRESSED AIR SHOULD NOT BE USED. AVOID SKIN/EYE CONTACT & INHALATION OF DUST.

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN A DRY LOCATION.

Other Precau

tions:HANDLE SO AS NOT TO DISPERSE DUST INTO WORK ENVIRONMENT. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: REQUIRED IF AIRBORNE TLV IS EXCEEDED. Ventilation: ADEQUATE LOCAL EXHAUST Protective Gloves:NO **Eve Protection: SAFETY GOGGLES** Supplemental Safety and Health PH: NEUTRAL. ========= Physical/Chemical Properties =========== Boiling Pt:B.P. Text:5390.6F Melt/Freeze Pt:M.P/F.P Text:3722F Vapor Pres:1 Spec Gravity: 3.97 pH:(SUP P) Appearance and Odor:WHITE POWDER W/NO ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMPS >392F Hazardous Decomposition Products: HYDROGEN CHLORIDE, PHOSGENE ======= Disposal Considerations ============ Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.