

ULTRAMAR INC -- JET FUEL A -- 9130-00-359-2026

=====
Product Identification
=====

Product ID:JET FUEL A
MSDS Date:06/30/1994
FSC:9130
NIIN:00-359-2026
MSDS Number: BVYHF
=== Responsible Party ===
Company Name:ULTRAMAR INC
Address:1111 WEST OCEAN BLVD SUITE 1400
Box:93102
City:LONG BEACH
State:CA
ZIP:90809-3102
Country:US
Info Phone Num:310-495-5300/5832
Emergency Phone Num:310-491-6795/310-435-58
32
CAGE:0VZA7
=== Contractor Identification ===
Company Name:ULTRAMAR INC
Address:1111 WEST OCEAN BLVD SUITE 1400
Box:93102
City:LONG BEACH
State:CA
ZIP:90809-3102
Country:US
Phone:310-495-5300
CAGE:0VZA7

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC PETROLEUM SOLVENT(JET FUEL A, C8-C16).
CAS:8008-20-6
RTECS #:OA5500000
Fraction by Wt: 99.83%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD5

0 LC50 Mixture:LD50 ORAL, RAT 25GM/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY IRRIT RESP TRACT & EYES.MAY DAMAGE NERVES & AFFECT CENTRAL NERVOUS SYSTEM. INHAL:NARCOTIC,IRRIT UPPER RESP TRACT,HI CONCEN RESULTS IN CHEM PNEUITIS,CNS DEPRESSION.SKIN:NO INFO AVAILABLE ON SIGNIFI CANT ADVERSE EFFECTS.CHRONIC

CONTACT:DEFAT,DRYNESS,DERM.INGEST:MOUTH/THROAT/STOMACEH IRRIT,LUNG

& KIDNEY DAMAGE.

Explanation of Carcinogenicity:PER MSDS:CARCINOGEN

STATUS:OSHA/NTP/IARC:NO. CARCINOGEN STATUS:NONE.

Effects of Overexposure:INHAL:LACK OF APPETITE, NAU, HEADACHE, WEAKNESS, DRUNKENESS, GIDDINESS, LUNG DAMAGE, UNCONSCIOUSNESS, ANXIETY, NERVE DAMAGE. SKIN:REDNESS, SWELLING, LACK OF APPETITE. INGEST:COUGHING, NAU, VOMIT, DIA RR, DIFFICULTY BREATHING, DRUNKENESS, BLUISH SKIN COLOR, LUNG & KIDNEY DAMAGE. DEATH/FATAL. CNS DEPRESSION.

Medical Cond Aggravated

by Exposure:PERSONS WITH CHRONIC SKIN OR RESP

DISEASE. TARGET ORGANS:CENTRAL NERVOUS SYSTEM DEPRESSANT.

=====
First Aid Measures
=====

First Aid:INHAL:REMOVE TO FRESH AIR. IMMED.PERFORM ART RESP IF NECESSARY.MAINTAIN AIRWAY,BLOOD PRESSURE,RESP.KEEP WARM/@REST.TREAT SYMPTOMATICALLY/SUPPORTIVELY.QUAL MED PER SHOULD CONSIDER GIVING OXY.SKIN:REMOV E CONTAMIN CLOTH/SHOES IMMED.WASH W/SOAP OR MILD DETERGENT & LG AMTS OF WATER @ LEAST 15-20MIN

S.EYE:WASH IMMED W/LG

AMTS OF WATER OR NORMAL SALINE LIFTING EYELIDS @ LEAST 15-20MINS.INGEST:SEE SUPPLEM

=====
Fire Fighting Measures
=====

Flash Point Method:CC

Flash Point:120F,49C

Lower Limits:0.7

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM.LG FIRES:WATER SPRAY, FOG OR REGULAR FOAM.FLAMM CLASS:II(OSHA)

Fire Fighting Procedures:MOVE CNTNR FROM FIRE W/O RISK.COOL CNTNR SIDES EXPO TO FLAMES W/WATER.HUGE FI

RE IN CARGO:UNMANNED HOSE

HOLDER/MONITOR NOZ.LEAVE IMMEDIATELY IF RISING SOUND FROM VEHICLE

Unusual Fire/Explosion Hazard:MODERATE FIRE HAZARD WHEN EXPOSED TO HEAT/FLAME.VAPOR HEAVIER THAN AIR;MAY TRAVEL CONSIDERABLE DISTANCE TO IGNITION SOURCE & FLASHBACK.VAPOR/AIR MIXTURES ARE EXPLODABLE >FLASHPOINT

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF IGNITION SOURCES.STOP LEAK WITHOUT RISK.USE WATER SPRAY TO REDUCE VAPOR.SMELL:TAKE UP WITH SAND/OTHER ABSORBENT MATERIAL.PLACE INTO CONTAINER.LIGHT:DIKE FOR LATER DISPOSAL.NO SMOKING/FLAMES/FLARES IN HAZARDOUS AREA.KEEP PEOPLE AWAY.ISOLATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ALL FEDERAL/STATE/LOCAL REGULATIONS WHEN STORING SUBSTANCE.STORE IN ACCORDANCE WITH 29CFR1910.106.BOND/GROUND CONTAINERS IN ACCORDANCE WITH NFPA77-1983,RECOMMENDED PRACTICES ON STATIC ELECTRICITY

Other Precautions:STORE AWAY FROM INCOMPATIBLE SUBSTANCES.KEEP AWAY FROM ALL IGNITION SOURCES.AVOID BREATHING VAPOR/MIST.AVOID CONTACT

WITH EYES/SKIN/CLOTHING.KEEP CONTAINER TIGHTLY CLOSED.USE ONLY WITH ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR SPECIFIC RESPIRATOR BASED ON CONTAMINANT LEVELS IN WORKPLACE,SPECIFIC OPERATOR,DOES NOT EXCEED WORKING LIMITS OF RESPIRATOR & APPROVED BY NIOSH/MSHA.REQUIRED FOR FIREFIGHTING & OTHER IMMEDIATELY DANGEROUS TO LIFE/HEALTH CONDITIONS.

Ventilation:PROVIDE LOCAL EXHAUST/GENERAL DILUTION VENTILATION TO MEET PUBLISHED EXPOSURE LIMIT

EXPLOSION-PROOF IF EXPLODABLE CONCENTRATION OF DUST/VAPOR/FUME PRESENT

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SPLASH-PROOF,DUST-RESISTANT SAFETY GOGGLES

Other Protective Equipment:EYEWASH FOUNTAIN.WEAR APPROPRIATE PROTECTIVE IMPERVIOUS CLOTHING/EQUIPMENT TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING PRIOR TO REUSE.

Supplemental Safety and Health

First Aid:PREVENT ASPIRATION.GASTRIC LAVAGE WITH CUFFED ENDOTRACHEAL TUBE IN PLACE SHOULD BE DONE WITHIN 15 MINUTES.

ABSENCE OF

DEPRESSION/CONVULSIONS/IMPAIRED GAG REFLEX,EMESIS CAN BE INDUCED USING SYRUP OF IPECA C W/O INCREASING HAZ OF ASPIRATION.TREAT SYMPTOMATICALLY/SUPPORTIVELY.IN ALL CASES GET MED ATTN.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:>315F,>157C

Melt/Freeze Pt:M.P/F.P Text:-40F,-40C

Vapor Density:>1

Spec Gravity:0.62

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR,WHITE OR LIGHT STRAW-COLORED LIQUID WITH ODOR LIKE

DEROSENE.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS (STRONG):FIRE/EXPLOSION HAZARD.

Stability Condition to Avoid:AVOID CONTACT W/HEAT/SPARKS/FLAMES/OTHER SOURCES OF IGNITION.AVOID OVERHEATING CNTNRS.AVOID CONTAMIN OF WATER SOURCES.

Hazardous Decomposition Products:THERMAL DECOMP PROD MAY INCLUDE TOXIC OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS WHEN DISPOSING OF THIS SUBSTANCE.DISPOSAL MUST BE IAW STANDARDS APPLICABLE TO GENERATORS OF HAZ WASTE 40CFR262. EPA HAZ WASTE #:D001. 100 LBS CERCLA SE C 103 RQ.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, war

rants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.