

HUL AMERICA INC -- MIL-L-63460D, AOSYN 900

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-102-1473
MSDS Date: 03/23/1994
MSDS Num: BWCGH
Product ID: MIL-L-63460D, AOSYN 900
MFN: 01
Responsible Party
Cage: 0DHB8
Name: HUL AMERICA INC
Address: TURNER PLACE
Box: 365
City: PISCATAWAY NJ 08854
-0365
Info Phone Number: 201-763-7173
Emergency Phone Number: 201-763-7173
Preparer's Name: P.A. PARKER
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 0DHB8
Name: HUL AMERICA INC
Address: TURNER PLACE
Box: 365
City: PISCATAWAY NJ 08854-0365

=====
Contractor Summary
=====

Cage: 0DHB8
Name: HUL AMERICA INC
Address: TURNER PLACE
Box: 365
City: PISCATAWAY NJ 08854-0365
Phone: 201-763-7173

=====
Item Description Information
=====

Item Manager: S9G
Item Name: CLEANER,LUBRICANT AND PRESERVATIVE
Specification Number: MIL-L-63460
Type/Grade/Class: NONE
Unit of Issue: BT
Quantitative Expression: 10000000005OZ
UI Container Qty: U
Ty

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: UNKNOWN
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO

Effects of Exposure

: WARNING-SEVERE EYE IRRIT, MODERATE SKIN & RESP TRACT IRRIT. CONTAINS PETROLEUM SOLVENT WHICH MAY ON OVEREXPO CAUSE HEADACHES,DIZZ,DROWS,UNCONSC & OTHER NERVOUS SYSTEM EFFECTS. ASPIRATION HAZ IF SWALLO WED-CAN ENTER LUNGS & CAUSE DAMAGE.

Signs And Symptions Of Overexposure: EYE/SKIN/RESP TRACT IRRIT. HEADACHES, DIZZINESS, DROWSINESS, UNCONSCIOUSNESS & OTHER NERVOUS SYSTEM EFFECTS. ASPIRATION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MFG.

First Aid: SKIN:W

ASH W/SOAP & WATER. EYES:FLUSH W/PLENTY OF WATER FOR 15MINS. CALL PHYSICIAN IF IRRIT DEVELOPS. INHAL:REMOVE TO FRESH AIR & GIVE CPR OR OXYGEN IF NEEDED. CALL PHYSICIAN. INGEST:DO NTO INDUCE VOMI T. HAVE VICTIM DRINK 8-10 OZ OF WATER TO DILUTE MATERIAL IN STOMACH. CALL PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE SOURCES OF IGNITIN & VENTILATE AR EA.COVER

W/INERT,ABSORBENT MATERIAL & REMOVE TO DISPOSAL CONTAINER.OBEY ALL RELEVANT LOCAL, STATE AND FEDERAL REGULATIONS.

Neutralizing Agent: NONE SPECIFIED BY MFG.

Waste Disposal Methods: OBEY RELEVANT LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT CONTAMINATE LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

Handling And Storage Precautions: WARNING-AVOID CONTACT W/EYES/SKIN/CLOTHING.AVOID BREATHING VAP/MIST.KEEP AWAY FROM HEAT/FLAME.KEEP CNTNR CLOSED.USE W/ADEQUATE VENTILATION.

Other Precautions: DOT:COMBUST LIQ N.O.S.(PETROLEUM SOLVENT),NA1993, PGIII ERG
27. APPLIED ONLY TO CONTAINERS GREATER THAN 110GAL.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point Text: 165F,74C

Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE OR WATER FOG.

Fire Fighting Procedures: BURNING WILL PRODUCE TOXIC FUMES INCLUDING
CO&CO2.WEAR SELF-CON

TAIN BREATH APPARATUS & FULL TURN-OUT GEAR TO

FIGHT FIRE.AVOID SPREADING LIQ & FIRE BY WATERSPRAY

Unusual Fire/Explosion Hazard: EXPOSURE TO HEAT BUILDS UP PRESSURE IN CLOSED
CONTAINERS. COOLW WITH WATER SPRAY.

=====
Control Measures
=====

Respiratory Protection: IF EXPOSED USE APPROPRIATE NIOSH-APPROVED RESP
PROTECTIVE EQUIPMENT.

Ventilation: LOCAL EXHAUST:RECOMMENDED. MECHANICAL:R
ECOMMENDED.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: CHEMICAL GOGGLES.

Other Protective Equipment: EYEWASH FOUNTAIN, SAFETY SHOWER.

Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS
AFTER HANDLING.

Supplemental Safety and Health: POUR POINT:-74F MAX.

=====
Physical/Chemical Properties
=====

HCC: V4

B.P. Text: >400F,>204C

M.P/F.P Text: SUPPLEMENT

Va

por Density: >AIR

Spec Gravity: 0.86

Evaporation Rate & Reference: SLOWER THAN BU/AC

Solubility in Water: NEGLIGIBLE

Appearance and Odor: LIGHT YELLOW TO BROWN LIQUID, MILD SOLVENT ODOR.

Percent Volatiles by Volume: 42.5

=====
Reactivity Data
=====

Stability Indicator: YES

Materials To Avoid: STRONG OXIDANTS.

Hazardous Polymerization Indicator: NO
=====

=====

Toxicological Information

=====
=====

Ecological Information

=====
=====

MSDS Transport Information

=====
=====

Regulatory Information

=====
=====

Other Information

=====
=====

Transportation Information

=====

Responsible Party Cage: 0DHB8

Trans ID NO: 107486

Product ID: MIL-L-63460D, AOSYN 900

MSDS Prepared Date: 03/23/1994

Review Date: 01/06/1995

MFN: 1

Net Unit Weight: UNKNOWN

Multiple KIT Number: 0

Review IND: Y

Unit Of Is

sue: BT

Container QTY: U

Type Of Container: PPP-C-186

Additional Data: PER MSDS:DOT:COMBUST LIQ N.O.S. (PETROLEUM SOLVENT) NA1993, PG III, ERG 27 APPLIES ONLY TO CONTAINER S GREATER THAN 110GALLONS.

=====
=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Informa

tion

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: MIL-L-63460D, AOSYN 900

Cage: 0DHB8

Company Name: HUL AMERICA INC

Street: TURNER PLACE

PO Box: 365

City: PISCATAWAY NJ

Zipcode: 08854-0365

Health Emergency Phone: 201-763-7173

Label Required IND: Y

Date Of Label Review: 01/06/1995

Status Code: C

Label Date:

01/06/1995

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Moderate

Reactivity Hazard: None

Hazard And Precautions: WARNING-SEVERE EYE IRRIT, MODERATE SKIN & RESP
TRACT IRRIT. CONTAINS PETROLEUM SOLVENT WHICH MAY ON OVEREXPO CAUSE
HEADACHES,DIZZ,DROWS,UNCONSC & OTHER NERVOUS SYSTEM EFFECTS. ASPIRATION
HAZ IF SWALLO WED-CAN ENTER LUNGS & CAUSE DA

MAGE. TARGET

ORGANS:EYE/SKIN/TRESP TRACT/CNS. FIRST AID: SKIN:WASH W/SOAP & WATER.
EYES:FLUSH W/PLENTY OF WATER FOR 15MINS. CALL PHYSICIAN IF IRRIT DEVELOPS.
INHAL:REMOVE TO FRESH AIR & GIVE CPR OR OXYGEN IF NEEDED. CALL
PHYSICIAN. INGEST:DO NTO INDUCE VOMIT. HAVE VICTIM DRINK 8-10 OZ OF WATER TO
DILUTE MATERIAL IN STOMACH. CALL PHYSICIAN.

=====

Disclaimer (provided with this information by the compiling agencies): This
inform

ation is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a mil

itary or civilian employee of the

United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.