

BAKER SEALANTS AND COATINGS CO -- RAW LINSEED OIL -- 8010-00-221-0611

=====  
Product Identification  
=====

Product ID:RAW LINSEED OIL  
MSDS Date:10/05/1991  
FSC:8010  
NIIN:00-221-0611  
MSDS Number: BWCVX  
=== Responsible Party ===  
Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Info Phone Num:201-333-6986 / FAX 201-333-6955  
Emergency  
Phone Num:201-333-6986  
Preparer's Name:MARIO NAVARRO  
CAGE:34094  
=== Contractor Identification ===  
Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
Box:City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Phone:201-333-6986  
CAGE:34094

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LINSEED OIL  
CAS:8001-26-1  
RTECS #:OI9690000  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry:

Inhalation: YES Skin: YES Ingestion: NO  
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO  
Health Hazards Acute and Chronic: NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity: NOT CARCINOGENIC.  
Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid: EYES-FLUSH WITH CLEAN WATER FOR 15 MINUTES. SKIN-WASH WITH SOAP AND WATER AND OBSERVE ROUTINE HYGIENIC PRACTICES.

=====  
===== Fire Fighting Measures =====

Flash Point Method: CC  
Flash Point: >200F, >93C  
Extinguishing Media: WATER SPRAY, DRY CHEMICAL, DRY CHEMICAL, FOAM, CARBON DIOXIDE.  
Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.  
Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: LARGE SPILLS-MAY BE SCOOPED UP AND PUT INTO CONTAINERS OR SALVAGED. SMALL SPILLS-SPILLS MAY BE PICKED UP WITH ABSORBENT MATERIAL AND TRANSFERRED TO CONTAINERS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions: STORE AWAY FROM HIGH TEMPERATURES AND FLAMES. DO NOT BREATHE SPRAY MIST.  
Other Precautions: AVOID SPONTANEOUS COMBUSTION OF CONTAMINATED RAGS AND OTHER EASILY IGNITABLE ACCUMULATIONS (SUCH AS SPRAY BOOTH RESIDUE)  
BY IMMEDIATE IMMERSION IN WATER. EMPTIED CONTAINERS MAY RETAIN RESIDUE OF PRODUCT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY NEEDED.  
Ventilation: NOT APPLICABLE.  
Protective Gloves: NEOPRENE RUBBER GLOVES.  
Eye Protection: GOGGLES OR SIDE SHIELD SPECTACLES.  
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices: WASH AFTER USING.  
Supplemental Safety and Health  
DO NOT PUNCTURE OR WELD ON OR NEAR TYE

CONTAINER.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.92

Appearance and Odor:AMBER LIQUID.

Percent Volatiles by Volume:0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:USUAL PRODUCTS OF COMBUSTION-CARBON MONOXIDE, CARBON DIOXIDE AND POSSIBLE ACROLEIN.

===== Disposal Considerations =====

Waste Disposal Methods:CAREFULLY INCINERATE OR USE SECURE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims a

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.