

FIBER-RESIN CORP -- FR-1072-B, POLYSULFIDE RUBBER CURING AGENT -- 8030-00-579-8453
===== Product Identification =====

Product ID:FR-1072-B, POLYSULFIDE RUBBER CURING AGENT

MSDS Date:01/02/1991

FSC:8030

NIIN:00-579-8453

Kit Part:Y

MSDS Number: BWCXY

=== Responsible Party ===

Company Name:FIBER-RESIN CORP

Address:170 W PROVIDENCIA AVE

Box:4187

City:BURBANK

State:CA

ZIP:91503

Country:US

Info Phone N

um:213-849-4608

Emergency Phone Num:213-849-4608

Preparer's Name:SAM ENGEL

CAGE:26348

=== Contractor Identification ===

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

Company Name:TECHCON SYSTEMS INC

Address:1059 E BEDMAR ST

Box:City:CARSON

State:CA

ZIP:90746-3601

Country:US

CAGE:22975

===== Composition/Information on Ingredients =====

Ingred Name:MA

NGANESE COMPOUND (UNSPECIFIED)

Fraction by Wt: 200F,>93C

Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR FOAM.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures: WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED WITH CHLORINATED SOLVENT.

Neutralizing Agent: NO INFORMATION GIVEN BY MFR ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions: STORE AT 77 DEG F OR BELOW. SHELF LIFE = 9 MONTHS.

Other Precautions: NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY REQUIRED.

Ventilation: STANDARD INDUSTRIAL VENTILATION.

Protective Gloves: RUBBER GLOVES.

Eye Protection: SAFETY GLASSES AND EYE WASH STATION.

Other Protective Equipment: APPROPRIATE PROTECTIVE CLOTHING. LAUNDER

CONTAMINATED CLOTHING BEFORE REUSE.

Work Hygienic Practices: MFR: ? HMIS: USE GOOD INDUSTRIAL HYGIENE

PRACTICE. AVOID UNNECESSARY EXPOSURE. WASH THOROUGHLY BEFORE EATING OR DRINKING

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC: N1

NRC/State Lic Num: NONE

Decomp Temp: Decomp Text: >400F, >204C

Spec Gravity: 1.77

Appearance and Odor: BLACK, MOBILE PASTE; NO ODOR.

===== Stability and Reactivity =====

y Data =====

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: NO INFORMATION GIVEN BY MFR ON MSDS.

Hazardous Decomposition Products: INCOMPLETE COMBUSTION CAN YIELD LOW MOLECULAR WEIGHT HYDROCARBONS, CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN COMPOUNDS.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: DOES NOT MEET THE DEFINITION OF HAZARDOUS WASTE UNDER E

PA 40CFR261. STATE OR LOCAL HAZARDOUS WASTE REGULATIONS MAY APPLY. INCINERATE OR DISPOSE OF IN AN APPROVED INDUSTRIAL LANDFILL. FOR ADDITIONAL DISPOSAL ASSISTANCE, CONTACT FIBER-RESIN CORP.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.