

SMITH & NEPHEW UNITED INC. -- UNI-SOLVE ADHESIVE REMOVER -- 6510-01-204-1867

===== Product Identification =====

Product ID:UNI-SOLVE ADHESIVE REMOVER

MSDS Date:01/18/1993

FSC:6510

NIIN:01-204-1867

MSDS Number: BWFCJ

=== Responsible Party ===

Company Name:SMITH & NEPHEW UNITED INC.

Address:11775 STARKEY ROAD

City:LARGO

State:FL

ZIP:34643-4799

Country:US

Info Phone Num:813-392-1261

Emergency Phone N

um:813-392-1261

CAGE:0GVW5

=== Contractor Identification ===

Company Name:SMITH & NEPHEW UNITED INC.

Address:11775 STARKEY ROAD

City:LARGO

State:FL

ZIP:34643-4799

Country:US

Phone:813-392-1261

CAGE:0GVW5

Company Name:SMITH AND NEPHEW UNITED INC

Address:11775 STARKEY RD

Box:1970

City:LARGO

State:FL

ZIP:34643-4799

Country:US

Phone:813-392-1261

CAGE:62000

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55

-6
RTECS #:KJ2975000
Fraction by Wt: 20%
Other REC Limits:450 PPM STEL
OSHA PEL:350 PPM
ACGIH TLV:350 PPM/450STEL;9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:VM & P NAPHTHA
CAS:64742-89-8
Fraction by Wt: 80%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXCESSIVE VAPOR INHALATION CAN BE

IRRITATING TO UPPER RESPIRATORY TRACT. INGESTION IS TOXIC &
IRRITATING TO THE GI TRACT & MAY RESULT IN SPONTANEOUS VOMITING,
ASPIRATION INTO THE LUNGS THEN PULMONARY EDEMA.
Explanation of Carcinogenicity:MANUFACTURER GAVE NO COMMENTS OTHER THAN
THE ABOVE REFERENCES TO THE THREE LISTINGS.
Effects of Overexposure:EXCESSIVE INHALATION CAN PRODUCE COUGHING,
CHOKING, HEADACHE, DIZZINESS, IMPAIRED JUDGEMENT, NAUSEA, NARCOSIS,
UNCONSCIOUSNESS.
Medical Cond Aggravated by Exposure
:CHRONIC LIVER DISEASE. SOFT CONTACT
LENSES MAY CONCENTRATE IRRITANTS

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP
& WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE.
INHALED:REMOVE TO FRESH AIR. AID/RESTORE BREATHING IF NECESSARY.
INGESTED: DO NOT INDUCE VOMITING. ASPIRATRION HAZARD. GIVE NO
ADRENALIN OR SYPATHOMIMETIC AMINES. CALL DOCTOR.

===== Fir

Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:45.0F,7.2C

Lower Limits:0.9

Upper Limits:10.5

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SCBA W/FULL FACEPIECE
OPERATED IN PRESSURE-DEMAND OR POSITIVE-PRESSURE MODE & FULL
PROTECTIVE . F

Unusual Fire/Explosion Hazard:IRE MAY PRODUCE TOXIC FUMES. VAPORS MAY
TRAVEL TO AN IGNITION SOURCE & FLASH BACK.
Y

=====

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. NOTIFY SAFETY
PERSONNEL. ABSORB LIQUID W/SAND/OTHER NON COMBUSTIBLE MATERIAL &
TRANSFER TO APPROPRIATE CONTAINERS FOR DISPOSAL.

Neutralizing Agent:NO INFORMATION GIVEN BY MFR ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, WELL VENTILATED AREA.
CLEANUP PERSONNEL SHOULD PROTECT AGAINST VAPO
R INHALATION &
EYE/SKIN CONTACT.

Other Precautions:USE NON-SPARKING TOOLS TO SCOOP UP ABSORBED MATERIAL.
DO NOT ALLOW MATERIAL TO ENTER SEWERS, DRAINS OR WATERWAYS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDING ON CONCENTRATION AN AIR SUPPLIED, FULL
FACEPIECE, NIOSH APPROVED CARTRIDGE TYPE RESPIRATOR IS NEEDED.

Ventilation:LOCAL EXHAUST, MECHANICAL (GENERAL) SHOULD BE EXPLOSION
PROOF.

Protective Gloves:IMPERVIOUS TYPE

Eye P

rotection:SAFETY GOGGLES, GLASSES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, BOOTS,
APRONS

Work Hygienic Practices:PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:F2

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:185F,85C

Vapor Pres:36 MM

Vapor Density:4.1

Spec Gravity:0.841

Evaporation Rate & Reference:1.5 (N-BUAC = 1)

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR, COLO

RLESS LIQUID W/AROMATIC ODOR

===== Stability and Reactivity Data =====

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:ULTRAVIOLET RADIATION, HEAT, IGNITION

SOURCES

S

Hazardous Decomposition Products:HYDROGEN CHLORIDE, DICHLOROACETYLENE,
CHLORINE, PHOSGENE, CARBON DIOXIDE AND CARBON MONOXIDE

Conditions to Avoid Polymerization:ULTRAVIOLET RADIATION, HEAT,
IGNITION SOURCES

===== Disposal Considerations =====

===

Waste Disposal Methods:FOLLOW FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.