

PRATT AND LAMBERT, INC; INDUSTRIAL COATINGS DIV -- LACQUER CAMOUFLAGE, OLIVE DRAB
34088, 787409 -- 8010-00-190-3360

=====
===== Product Identification =====

Product ID:LACQUER CAMOUFLAGE, OLIVE DRAB 34088, 787409

MSDS Date:10/13/1994

FSC:8010

NIIN:00-190-3360

MSDS Number: BWFKH

=== Responsible Party ===

Company Name:PRATT AND LAMBERT, INC; INDUSTRIAL COATINGS DIV

Box:2153

City:WICHITA

State:KS

ZIP:6720

1

Country:US

Info Phone Num:316-733-1361

Emergency Phone Num:716-873-6000/DOT: 800-255-3924

Preparer's Name:W A ELLISON

CAGE:61196

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

=====
===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SOLVENT) (SARA III) (VAPOR PRESSURE 22 MM HG @
20C) (LFL 1.7; UFL 7.1) (SKIN)

CAS:108-88-3

RTECS #:XS5250000

Fracti

on by Wt: 20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM;STEL 150 PPM
ACGIH TLV:50 PPM; 147 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SOLVENT) (VAPOR PRESSURE 33 MM HG @ 20C)
(LFL 3.0; UFL 13.0)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM;STEL 500 PPM
ACGIH TLV:400 PPM;STEL 500 PPM

Ingred Name:ISOBUTYL ALCOHOL (SOLVENT) (VAPOR PRESSURE 10 MM HG @ 20C)
(LFL 1.0; UFL 11.0)
CAS:78-83-1
R
TECS #:NP9625000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM; 150 MG/M3
ACGIH TLV:50 PPM; 150 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENE (SOLVENT) (SARA III) (VAPOR PRESSURE 5 MM HG @ 20C)
(LFL 1.0; UFL 7.0)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM;STEL 150 PPM
ACGIH TLV:100 PPM;STEL 150 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL BENZENE (SARA III) (VAPOR PRES

SURE 1 MM HG @ 20C)
(LFL 1.0; UFL 6.7) (SKIN)

CAS:100-41-4

RTECS #:DA0700000

Fraction by Wt: