View NSN Online: https://aerobasegroup.kr/nsn/6810-00-234-8366

GENERAL CHEMICAL CORPORATION -- POTASSIUM HYDROXIDE, PELLETS (VARIOUS GRADES) --

6810-00-234-8366

============ Product Identification =========================

Product ID:POTASSIUM HYDROXIDE,PELLETS(VARIOUS GRADES)

MSDS Date: 10/01/1986

FSC:6810

NIIN:00-234-8366

MSDS Number: BWFKT === Responsible Party ===

Company Name: GENERAL CHEMICAL CORPORATION

Address:90 E HALSEY RD

Box:1829

City:MORRISTOWN

State:NJ

ZIP:07960-1829

Country: US

Info Phone Num:201-455-5630

Emergency Phone Num:201-455-3700

CAGE:0AU44

=== Contractor Identification ===

Company Name: GENERAL CHEMICAL CORPORATION

Address:90 EAST HALSEY ROAD

Box:City:PARSIPPANY

State:NJ ZIP:07054 Country:US

Phone:973-515-1840

CAGE:0AU44

======= Composition/Information on Ingredients ========

Ingred Name: POTASSIUM HYDROXIDE (SARA III)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3

: 9394 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ============= Hazards Identification ======================== LD50 LC50 Mixture: TLV IS 2MG/M3 CEILING Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:**CORROSIVE**EYES:MAY CAUSE IRRITATION AND DAMAGE.SKIN:MAY CAUSE IRRITATION AND DAMAGE.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION.>200MG/M3 ARE IMMEDIAT ELY DANGEROUS A ND MAY CAUSE LUNG DAMAGE. Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure:INGEST:PAIN,DIFFICULT BREATHING, VOMITING, DIARRHEA, COLLAPSE. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN, EYE AND RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:SKIN:FLUSH UNDER DELU GE SHOWER WHILE REMOVING CONTAMINATED CLOTHING; WASH WITH WATER (UNTIL "SOAPY" FEEL IS GONE). EYES: SPEED IS ESSENTIAL.CALL FOR MEDICAL HELP; FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMO VE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS, GIVE MILK OR WATER; THEN VINEGAR OR FRUIT JUICE. Flash Point:NONE Extinguishing

Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: THIS MATERIAL WILL REACT WITH METALS(AL,SN,ZN) TO RELEASE HYDROGEN GAS.MAY VAPORIZE IN A FIRE; MOISTURE CONTACT MAY CAUSE ENOUGH HEAT TO IGNITE COMBUSTIBLES.

========= Accidental Release Measures ================

Spill Release Procedures: SHOVEL INTO AN APPROPRIATE CONTAINER.NEUTRALIZE ANY MOI

STENED SPILL WITH ACETIC ACID(PREFERRED) OR SODIUM BICARBONATE; SOAK UP WITH AN INERT ABSORBANT; PLACE IN A SUITABLE CONTAINER. WASH SPILL AREA WITH WATER TO REMOVE SLIPPERINESS; AVOID SEWER DISCHARG Neutralizing Agent: ACETIC ACID IS PREFERRED. SODIUM BICARBONATE MAY BE USED.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.SEPERATE FROM MOISTURE, INCOMPATIBLE MATERIALS AND COMBUSTIBLES. Other Precautions:THIS ITEM SHOULD BE HANDLED ONLY BY TRAINED PERSONNEL.FOLLOW LABEL DIRECTIONS.AVOID BREATHING VAPORS.AVOID SKIN AND EYE CONTACT.DO NOT STORE THIS ITEM IN CONTAINERS MADE OF FE,SN,AL,ZN METALS OR THEIR ALLOYS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE EITHER A SELF-CONTAINED BREATHING APPARATUS OR
A NOISH/MSHA APPROVED RESPIRATOR FOR CORROSIVE GAS, DEPENDING ON THE AIRBORN CONCENTRAT ION. Ventilation:LOCAL VENTILATION AT THE WORKSITE; MECHANICAL (GENERAL) VENTILATION TO MAINTAIN TLV/PEL. Protective Gloves:RUBBER, NEOPRENE. Eye Protection:CHEMICAL SPLASH GOGGLES.AVOID CONTACTS. Other Protective Equipment:PROTECTIVE CLOTHING, AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES SEPORE REUSE.KEEP FOOD OUT OF THE WORK AREA. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:B1 Boiling Pt:=1320.C, 2408.F Melt/Freeze Pt:=360.C, 680.F Spec Gravity:2.044 pH:13.5

Evaporation Rate & Description Rate & Reference: NEGLIGIBLE Solubility in Water: APPRECIABLE

Appearance and Odor:PELLETS;WHITE;ODORLESS.THIS ITEM ABSORBS WATER. Percent Volatiles by Volume:NEGLIG

======== Stability and Reactivity Data =========

tability Indicator/Materials to Avoid:YES
METALS(AL,SN,ZN),ACIDS AND THEIR ANHYDRIDES,EASILY OXIDIZABLE
CMPDS(EXPLOSIVES,ALDEHYDES,NITRO AND CHLOROCARBONS).
Stability Condition to Avoid:MOISTURE,PROLONGED EXPOSURE TO AIR.
Hazardous Decomposition Products:CONTACT WITH METALS MAY GENERATE
H*2.REACTS WITH CO*2 TO FORM POTASSIUM CARBONATE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REG ULATIONS.RCRA CODE IS D002(CORROSIVE).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.