View NSN Online: https://aerobasegroup.kr/nsn/6750-01-064-7260

ANITEC IMAGE CORP -- LITHO FILM PRODUCTS,P 407 -- 6750-01-064-7260

Product ID:LITHO FILM PRODUCTS,P 407 MSDS Date:10/01/1989 FSC:6750 NIIN:01-064-7260 MSDS Number: BWMRF === Responsible Party === Company Name: ANITEC IMAGE CORP Address:40 CHARLES ST Box:4444 City:BINGHAMTON State:NY ZIP:13902-4444 Country:US Info Phone Num:800-234-7707 Emergency Phone Num:607-774-3333 CAGE:61263 === Contractor Identification === Company Name: ANITEC IMAGE CORP Address:40 CHARLES ST Box:4444 City:BINGHAMTON State:NY ZIP:13902 Country:US Phone:607-774-3333 CAGE:61263

Ingred Name:POLYESTER FILM/FILM BASE Fraction by Wt: >90% Other REC Limits:NONE RECOMMENDED

Ingred Name:GELATIN Other REC Limits:NONE RECOMMENDED

Ingred Name:SILVER CHLORIDE CAS:7783-90-6 RTECS #:VW3563000 Other REC Limits:NONE RECOMMENDED Ingred Name:SILVER BROMIDE CAS:7785-23-1 Other REC Limits:NONE RECOMMENDED

Ingred Name:SILVER HALIDES CAS:7783-96-2 Other REC Limits:NONE RECOMMENDED

Ingred Name:CADMIUM CHLORIDE (SARA 313) CAS:10108-64-2 RTECS #:EV0175000 Fraction by Wt: TRACE Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 MG (CD)/M3 DUST ACGIH TLV:0.01 MG(CD)/M3; 9495 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 88 MG/KG (CDCL2). Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:TARGET ORGANS:SKIN. ACUTE- CONTAINS SMALL AMOUNTS OF A CADMIUM SALT AND MAY CAUSE LOCALIZED IRRITATION. INGESTION IS UNLIKELY. CHRONIC- CADMIUM HAS BEEN DETERMINED TO BE A CARCINOGEN BASED ON SUBCOUTA NEOUS ANIMAL LAB STUDIES. Explanation of Carcinogenicity:CONTAINS C [7440-43-9] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OS HA AS A CARCINOGEN. Effects of Overexposure:EYES, SKIN IRRITATION

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:UNLIKELY. EYES:UNLIKELY. SKIN:WASH WITH SOAP & WATER. ORAL:UNLIKELY.

Flash Point:NONE

Extinguishing Media:CARBON DIOXIDE, ALCOHOL FOAM, DRY CHEMICAL, WATER MIST

Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVE

D SELF-CONTAINED BREATHING APPARATUS. AVOID BREATHING COMBUSTIBLE FUMES.

======================================
Spill Release Procedures:NOT RELEVANT Neutralizing Agent:NOT RELEVANT
======================================
 Handling and Storage Precautions:STORE IN COOL AND DRY PLACE AWAY FROM LIGHT AND RADIATION. Other Precautions:WASH HANDS THOROUGHLY AFTER HANDLING FILM AND/OR FOLLOWING EXPOSURE TO FILM PROCESSING SOLU TIONS.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE REQUIRED. Ventilation:NONE Protective Gloves:DISPOSABLE COTTON GLOVES RECOMMENDED Eye Protection:NONE Other Protective Equipment:NONE Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
======================================
HCC:N1 NRC/State Lic Num:NOT RELEVANT Vapor Pres:NEGLIGIBLE E vaporation Rate & amp; Reference:NEGL (N-BUTYL ACETATE=1) Solubility in Water:ESSENTIALLY INSOLUBL
Appearance and Odor: GREY EMULSION COATED FILM WITH NO DISTINGUISHING ODOR
======================================
Stability Indicator/Materials to Avoid:YES WATER, CHEMICALS PRIOR TO PROCESSING Stability Condition to Avoid:LIGHT, HEAT, RADIATION
======================================

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH

ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.