View NSN Online: https://aerobasegroup.kr/nsn/9150-01-311-5640

OCTAGON PROCESS INC. -- LUBRICATING OIL, AIRCRAFT, INSTRUMENT -- 9150-01-311-5640

Product ID:LUBRICATING OIL, AIRCRAFT, INSTRUMENT MSDS Date:04/10/1987 FSC:9150 NIIN:01-311-5640 MSDS Number: BWMVT === Responsible Party === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD **City:EDGEWATER** State:NJ ZIP:07020-1105 Country:US Info Phone Num:201-945-9400 Emergency P hone Num:201-945-9400/800-424-9300(CHEMTREC) CAGE:82925 === Contractor Identification === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD Box:City:EDGEWATER State:NJ ZIP:07020 Country:US Phone:201-945-9400 CAGE:82925

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:Y

ES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION OR DRYING.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure:SKIN:REDNESS. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN AILMENTS MAY
BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMP T QUALIFIED MEDICAL ATTENTION.
======================================
Flash Point Method:COC Flash Point:435F,224C Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM.WATER OF FOAM MAY CAUSE FROTHING. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.
Unusual Fire/Explosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.
======================================
Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.AVOID RUNOFF TO SEWERS OR WATERWAYS.REPO RT SPILLS TO NATIONAL RESPONSE CTR AT 800-424-8802 Neutralizing Agent:NOT APPLICABLE.
======================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED

PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM STRONG OXIDIANTS.

Other Precautions: AVOID BRETHING OIL MISTS. DISCARD OIL SOAKED SHOES.

====== Exposu

re Controls/Personal Protection =========

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS. Ventilation:USE LOCAL EXHAUST WITH >60FT/MIN(FACE VELOCITY). Protective Gloves:CHEMICALLY RESISTANT Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AF TER USE AND BEFORE EATING. Supplemental Safety and Health NONE

HCC:V6 Boiling Pt:B.P. Text:385F,196C Melt/Freeze Pt:M.P/F.P Text:-80F,-62C Spec Gravity:0.92 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIQUID;PALE YELLOW TO AMBER;ESTER-LIKE ODOR

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NON E SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,OXIDES

OF SULFUR.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.