

CONCORDE BATTERY CORP -- BATTERY, DRY CBC-131 -- 6140-00-406-2633

=====
Product Identification
=====

Product ID: BATTERY, DRY CBC-131

MSDS Date: 12/01/1994

FSC: 6140

NIIN: 00-406-2633

MSDS Number: BWNKG

=== Responsible Party ===

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

City: WEST COVINA

State: CA

ZIP: 91790-1006

Country: US

Info Phone Num: 818-962-4006/FAX 818-338-3549

Emergency Phone Num: 800-255-3924/818-813-1234

CAGE: 63017

==== Contractor Identification ====

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

Box: City: WEST COVINA

State: CA

ZIP: 91790-1006

Country: US

Phone: 800-255-3924/818-813-1234

CAGE: 63017

=====
Composition/Information on Ingredients
=====

Ingredient Name: BATTERY PARTS (PLATES, GRIDS, ETC)

Other REC Limits: NONE RECOMMENDED

Ingredient Name: LEAD OXIDE, (RED LEAD OXIDE)

CAS: 1314-41-6

RTECS #: OG5425000

Fraction by Wt: 60%

Other REC L

imits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.15 MG/M3

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 38%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.15 MG/M3,DUST;9394

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:PRODUCT ITSELF IS

NON-TOXIC AND

CONSIDERED AS NON-SPILLABLE. PACKAGED ACCORDING TO 49CFR PAR178.205
SPECIFICATION 12B.

Explanation of Carcinogenicity:LEAD

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:NONE SPECIFIED BY MANUFACTURER. HOWEVER USE APPROPRIATE FIRST
AID. SEE PHYSICIAN FOR ADVICE/ATTN.

=====
===== Fire Fighting Measures

Flash Point:NON-FLAMMABLE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS

RECOMMENDED FOR FIREFIGHTERS TO PREVENT POTENTIAL OF INHALING TOXIC
FUMES PRODUCED BY RX OF OXIDIZING AGENTS & LEAD OXIDE

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PRODUCT IS DRY BATTERY & CONSIDERED AS
NON-SP

ILLABLE IT IS TO BE PACKAGED ACCORDING TO 49CFR178.205 SPEC
12B. IN CASE OF AN ACCIDENT & THE CONTAINER IS BROKEN, PROTECTIVE
GLOVES WILL BE REQUIRED TO HANDLE THE BATTERY PARTS.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS.
Ventilation:NOT REQUIRED UNDER NORMAL CONDITIONS.
Protective Gloves:NOT REQUIRED UNDER NORMAL CONDITIONS
Eye Protection:NOT REQUIRED UNDER NORMAL CONDITIONS
Other Protective Equipment:NOT REQUIRED UNDER NORMAL CONDITIONS.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
SEE PNIND:E FOR MSDS ON BATTERY PARTS OF THIS PRODUCT.

===== Physical/Chemical Properties =====

HCC:N1
Appearance and Odor:DRY BATTERY, NON-SPILLABLE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:TOXIC FUMES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF BATTERIES IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS FOR LEAD ACID BATTERIES.

Disclaimer (provided with this information by the compiling agencies

):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.