

FINE ORGANICS CORP -- ENVIROSOLV 655 (AEROSOL)

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-397-1961
MSDS Date: 04/25/1994
MSDS Num: BWNTG
Product ID: ENVIROSOLV 655 (AEROSOL)
MFN: 01
Responsible Party
Cage: 05867
Name: FINE ORGANICS CORP
Address: 205 MAIN ST
City: LODI NJ 07644
Info Phone
Number: 800-526-7480
Emergency Phone Number: 800-424-9300(CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 05867
Name: FINE ORGANICS CORP
Address: 420 KULLER RD
Box: 2277
City: CLIFTON NJ 07015
Phone: 973-478 1000

=====
Item Description Information
=====

Item Manager:
S9G
Item Name: CLEANING COMPOUND,SOLVENT
Unit of Issue: BX
Quantitative Expression: 00000000012EA
UI Container Qty: 1
Type of Container: CAN, AEROSOL

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED

BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION: EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE: MAY CAUSE IRRITATION TO EYES. SKIN: MAY CAUSE SKIN IRRITATION AND/OR DERMATITIS. INGESTION: HARMFUL IF ASPIRATED INTO LUNGS.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated

By Exposure: NONE CURRENTLY KNOWN.

First Aid: INHALATION: REMOVE TO FRESH AIR. EYE: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WITHIN ONE MINUTE OF CONTACT. SKIN: WASH AREAS OF CONTACT WITH GENEROUS AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. LAUNDRY BEFORE REUSE. INGESTION: DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER. SEEK MEDICAL ATTENTION IN ANY NECESSARY INSTANCES.

=====
Handling and Disposal
=====

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO ORIGINAL MATERIAL AND ITS CONTAINER AND NOT ANY MATERIALS WHICH ARE WASTE BY-PRODUCT OF USER'S OPERATION.

Handling And Storage Precautions: STORAGE TEMPERATURE: KEEP BELOW 120F. STORAGE PRESSURE: NORMAL. DO NOT STORE NEAR HEAT, SPARKS, OPEN FLAME, HEATED SURF OR ANY OTHER SOURCE OF IGNITION.

Other Precautions: THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPORS OR LIQUID). OBSERVE ALL LABELED HAZARD PRECAUTIONS.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 147F,64C

Lower Limits: 0.8%

Upper Limits: 8.5%

Extinguishing Media: DRY CHEMICAL, WATER SPRAY, OR FOAM.

Fire Fighting Proc

edures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: EXPOSURE TO HEAT MAY CAUSE BURSTING.

=====
Control Measures
=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR WHEN OPERATING ABOVE SUGGESTED TLV LIMITS.

Ventilation: CNTRL AIRBORNE CONCS BELOW EXPOS GUIDELINES. ALTHOUGH NO OFFICIALS

EXPOS LIMITS HAVE BEEN ESTABLISHED, FINE (SUPDAT)

Protective Gloves: RUBBER GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKER GOGGLES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: VENTILATION: ORGANICS SUGGESTED THAT, VAPOR CONCENTRATIONS FOR EMPLOYEE EXPOSURE BE LIMITED TO BETWEEN 100-200 PPM, TWA. USE ONLY WITH ADEQUATE VENTILATION. LOCAL EXHAUST VENTILATION MAY BE NECESSAR

Y FOR SOME OPERATIONS.
=====

Physical/Chemical Properties
=====

B.P. Text: >365F,>185C

Vapor Pres: 0.7 @ 68F

Vapor Density: 5.7

Spec Gravity: 0.75 @ 25C

Solubility in Water: NEGLIGIBLE

Appearance and Odor: CLEAR WATER WHITE LIQUID.

Percent Volatiles by Volume: 100
=====

Reactivity Data
=====

=
Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: OXIDIZING AGENTS.

Hazardous Decomposition Products: INCLUDES OXIDES OF CARBON.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.
=====

Toxicological Information
=====

Ecological Information
=====

=====
=====
MSDS Transport Information
=====
=====

Regulatory Information
=====
=====

Other Information
=====
=====

=====
HAZCOM Label
=====

Product ID: ENVIROSOLV 655 (AEROSOL)

Cage: 05867

Company Name: FINE ORGANICS CORP

Street: 420 KULLER RD

PO Box: 2277

City: CLIFTON NJ

Zipcode: 07015

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/21/1994

Status Code: C

Label Date: 12/21/1994

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health

Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE: INHALATION: EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE: MAY CAUSE IRRITATION TO EYES. SKIN: MAY CAUSE SKIN IRRITATION AND/OR DERMATITIS. INGESTION: HARMFUL IF ASPIRATED INTO LUNGS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

=====
Disclaimer (provided with this information by the

compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing

following this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.