View NSN Online: https://aerobasegroup.kr/nsn/6810-00-281-4255

MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION -- SODIUM METABISULFITE

6810-00-281-4255

Product ID:SODIUM METABISULFITE

MSDS Date:01/21/1986

FSC:6810

NIIN:00-281-4255

MSDS Number: BWPDR === Responsible Party ===

Company Name: MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION

Address: PARIS BYPASS

Box:M City:PARIS State:KY ZIP:40361

Country:US

Info Phone Num:800-325-8888

Emergency Phone Num:800-354-2050/314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name: LAPINE SCIENTIFIC CO

Address:13636 WESTERN AVE

Box:780

City:BLUE ISLAND

State:IL

ZIP:60406-0780 Country:US

Phone:312-388-4030

CAGE:35051

Company Name: MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:908-859-2151

CAGE:62910

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM METABISULF

ITE CAS:7681-57-4

RTECS #:UX8225000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9495

Ingred Name: SODIUM BISULFITE (SASA III) (CERCLA)

CAS:7631-90-5

RTECS #:VZ2000000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9495

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

========= Hazards Identification ============================

LD50 LC50 Mixture:LD50(ORAL,RAT):2,000 MG/KG(NA BISULFITE)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Repo

rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- MAY IRRITATE SKIN, EYES, RESPIRATORY & GI TRACTS. IF LARGE DOSES INGESTED, CAN CAUSE DIARRHEA, CIRCULATORY DISTURBANCE AND CNS DEPRESSION. ES TIMATED FATAL DOSE IS 10 GRAMS. MAY CAUSE EYE PAIN. CHRONIC- UNKNOWN.

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:IRRITATION, PAIN, NAUSEA, VOMITING, DIARRHEA, HEADACHE, DIZZINESS,

CONFUSION, INCOORDINATION

Medical Cond Aggravated by Exposure: SENSITIVITY TO SULFITES

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:I F CONSCIOUS, DRINK TWO GLASSES OF WATEROR MILK & INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY

. NEVER GIVE FLUID OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAS CONVULSIONS.
======================================
Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE
MODE. Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE A FIRE OR AN EXPLOSION HAZARD.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. WITH CLEAN DRY SHOVEL, PLACE MATERIAL INTO A CLEAN DRY CONTAINER AND COVER. MOVE CONTAINERS FROM SPILL AREA. WASH SPILL SITE AFTER PICKUP IS COMPLETE. Neutralizing Agent:NOT RELEVANT
======================================
Handl ing and Storage Precautions:STORE IN A COOL, DRY, VENTILATED AREA AWAY FROM MOISTURE & INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTL CLOSED. Other Precautions:DO NOT GENERATE DUST. AVOID BREATHING DUST. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN. NOT FOR FOOD USE.
======= Exposure Controls/Personal Protection ========
Respiratory Protecti on:NONE NORMALLY REQUIRED. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK. IN EMERGENCY, WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Ventilation:PROVIDE MECHANICAL VENTILATION SYSTEM.

Protective Gloves:LATEX/RUBBER FOR REPEATED CONTACT

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND

## RECOMMENDED PROCEDURES. Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES Decomp Temp:Decomp Text:>302F,>150C

Spec Gravity: 1.48

Evaporation Rate & Presence: NOT RELEVANT

Solubility in Water: VERY SOLUBLE

Appearance and Odor: WHITE TO YELLOW WHITE CRYSTALLINE GRANULES - SLIGHT

ODOR OF SULFUR DIOXIDE

======== Stability and Reactivity Data =======

=======

Stability Indicator/Materials to Avoid:YES ACIDS, OXIDIZING AGENTS, ALUMINUM POWDER Stability Condition to Avoid:HIGH HEAT

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY RELEASE TOXIC OXIDES OF SULFUR & TOXIC SODIUM OXIDE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. REPORTABLE QUANTITY (RQ) 5000 LBS SODIUM BISULFITE.

Disclaimer (provided wit

h this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.