View NSN Online: https://aerobasegroup.kr/nsn/6840-00-174-1825

## PURO CHEMICAL, DIV OF CONTICO INTL -- PARADICHLOROBENZENE -- 6810-00-174-1825

========= Product Identification ==============

Product ID:PARADICHLOROBENZENE

MSDS Date:01/15/1989

FSC:6810

NIIN:00-174-1825

MSDS Number: BWPRH === Responsible Party ===

Company Name: PURO CHEMICAL, DIV OF CONTICO INTL

Address:4700 GOODFELLOW

City:ST LOUIS State:MO ZIP:63120 Country:US

Info Phone Num:314-731-0302

Emergency Phone Num:

314-381-3029 CAGE:PUROC

=== Contractor Identification ===

Company Name: PURO CHEMICAL, DIV OF CONTICO INTL

Address:4700 GOODFELLOW

Box:City:ST LOUIS

State:MO ZIP:63120 Country:US

Phone:314-731-0302

**CAGE:PUROC** 

====== Composition/Information on Ingredients ========

Ingred Name:P-DICHLOROBENZENE (1,4-DICHLOROBENZENE) (SARA III)

CAS:106-46-7

RTECS #:CZ4550000 Fraction by Wt: 99%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:75 PPM** 

ACGIH TLV:10 PPP, A3; 9394

EPA Rpt Qty:100 LBS

**DOT Rpt** 

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITATION OF EYES, MUCOUS MEMBRANE AND SKIN IS TRANSIENT. ABOVE 160PPM NOSE AND THROAT IRRITATION BECOME INTOLERABLE. Explanation of Carcinogenicity:PER MSDS:CARCINOGENCITY:NO. Effects of Overexposure:IRRIT EYES, MUCOUS MEMBRANE, SKIN IS TRANSIENT. NOSE/THROAT IRRIT. Medical Cond Aggravated by Exposure:UNKNOWN.
======================================
First Aid:EYES:FLUSH WITH WATER. IF IRRITATION SEEK MED ADVICE. SKIN:WASH WITH SOAP AND WATER.
======================================
Flash Point Method:CC Flash Point:150F,66C Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:RESPIRATORY PROTECTION WHEN FIGHTING FIRES WHERE EXPOSURE TO VAPORS. Unusual Fire/E xplosion Hazard:HIGHLY TOXIC GASES (CHLORIDES AND CHLORINE) CAN BE EXVOLVED INFIRES OF THIS PRODUCT.
========= Accidental Release Measures ==========
Spill Release Procedures:SCRAPE UP OR ABSORB ON CLAY, SAWDUST OR OTHER ABSORBANT MATERIAL OR DRUM AND DISPOSE.
============= Handling and Storage ==============
Handling and Storage Precautions:DO NOT STROE NEAR STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE CONTACT. AVOID INHALATION OF DUST OR

Qty:100 LBS

========= Physical/Chemical Properties ===========

HCC:T4

Boiling Pt:B.P. Text:175 Vapor Pres:0.6MM Vapor Density:5.08 Spec Gravity:1.458

Evaporation Rate & Deference: