

SHERWIN-WILLIAMS CO -- 1809 SCHOOL BUS YELLOW, INDUSTRIAL MAINT & (SUPDAT) --
8010-01-010-3259

===== Product Identification =====

Product ID:1809 SCHOOL BUS YELLOW, INDUSTRIAL MAINT & (SUPDAT)

MSDS Date:02/01/1993

FSC:8010

NIIN:01-010-3259

MSDS Number: BWPST

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS CO

Address:101 PROPSPECT AVE NW

City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

In

fo Phone Num:800-247-3266

Emergency Phone Num:216-292-7400

CAGE:54636

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS CO THE

Address:101 PROSPECT AVE NW

Box:City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Phone:800-251-2486/216-566-2242

CAGE:54636

===== Composition/Information on Ingredients =====

Ingred Name:PROPANE (PROPELLANT) VP: 760

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 17%

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN

Ingred Name:TOLUENE (SARA 313)

(CERCLA) VP: 22
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 2%
OSHA PEL:200 PPM
ACGIH TLV:50 PPM, S
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE (SARA 313) (CERCLA) VP:5.9
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 8%
OSHA PEL:100 PPM
ACGIH TLV:100 PPM; 150 STEL
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:BUTYL ALCOHOL; (1-BUTANOL) (SARA 313) (CERCLA)
CAS:71-36-3
RTECS #:EO1400000
Fraction by Wt: 2%
OSHA PEL:100 PPM
ACGIH TLV:50 PPM, S, C
EPA Rpt Qty:500
0 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA) VP: 180
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 37%
OSHA PEL:1000 PPM
ACGIH TLV:750 PPM; 1000 STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTANONE; (METHYL ETHYL KETONE) (MEK) (SARA 313) (CERCLA)
VP: 70
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 8%
OSHA PEL:200 PPM
ACGIH TLV:200 PPM; 300 STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:2-PENTANONE, 4-METHYL-; (METHYL ISOBUTYL KETONE)

(SARA
313) (CERCLA) VP: 16
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 3%
OSHA PEL:100 PPM
ACGIH TLV:50 PPM; 75 STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID, 2-METHOXY-1-METHYLETHYL ESTER;
(1-METHOXY-2-PROPANOL ACETATE) VP: 1.5
CAS:108-65-6
RTECS #:AI8295000
Fraction by Wt: 6%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:VOLATILE ORGANIC COMPOUND: 84% BY WEIGHT PER BAAQMD RULE 49
RTECS #:9999999VO
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:EFTS OF OVEREXP
: URINARY, BLOOD-FORM, CVS & REPRO SYS.
METHYL ETHYL KETONE MAY INCR NERVOUS SYS EFTS OF OTHER (ING 11)
RTECS #:9999999ZZ

Ingred Name:ING 10:SOLVS. REPORTS HAVE ASSOC RPTD & PRLNG OVEREXP TO
SOLVS W/PERM BRAIN & NERVOUS SYS DMG.
RTECS #:9999999ZZ

Ingred Name:WASTE DISP METH: DISPOSE OF IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS REGARDING POLLUTION.
RTECS #:9999999ZZ

Ingred Name:HNDLG/STOR PREC: NOT SMOKE. EXTING ALL FLAMES, PILOT LIGHTS
& HEATERS. TURN OFF STOVES,
ELEC TOOLS & APPLIANCES (ING 14)
RTECS #:9999999ZZ

Ingred Name:ING 13: & ANY OTHER SOURCES OF IGNIT. CONSULT NFPA CODE.
USE APPRVD BONDING & GROUNDING PROC. CONTENTS UNDER (ING 15)
RTECS #:9999999ZZ

Ingred Name:ING 14: PRESS. DO NOT PUNCTURE, INCIN OR EXPOSE TO TEMPS
ABOVE 120F. HEAT FROM SUNLIGHT, RADIATORS, STOVES, HOT (ING 16)
RTECS #:9999999ZZ

Ingred Name:ING 15: WATER & OTHER HEAT SOURCES COULD CAUSE CNTNR TO
BURST. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.
RTEC

S #:9999999ZZ

Ingred Name:OTHER PREC: DUSTS ARE LISTED, APPLIC LIMS FOR NUISANCE
DUSTS ARE ACGIH TLV 10 MG/M3 (TDUST), OSHA PEL 15 MG/M3 (ING 18)
RTECS #:9999999ZZ

Ingred Name:ING 17: (TDUST), 5 MG/M3 (RDUST).
RTECS #:9999999ZZ

Ingred Name:RESP PROT: BE GENERATED FROM THIS PROD, UNDERLYING PAINT OR
ABRASIVE.
RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YE
S Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRIT OF EYES, SKIN & RESP SYS.
MAY CAUSE NERVOUS SYS DEPRESS. EXTREME OVEREXP MAY RSLT IN UNCON &
POSS DEATH. HDCH, DIZZ, NAUS & LOSS OF COORDINATION ARE INDICATIONS
OF EXCESS EXPOS TO VAPS/SPRAY MISTS. REDNESS & ITCH/BURN
SENSATIONMAY INDICATE EYE/EXCESS SKIN EXPOS. INTENTIONAL MISUSE BY
(EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexp

Insure:HLTH HAZ:DELIB CONC & INHAL CONTENTS CAN BE
HARMFUL/FATAL. CHRONIC: TOLUENE APPEARS ON NAVY LIST OF OCCUP CHEM
REPRO HAZ. SEEK CONSULTATION FROM APPROP HLTH PROFESSIONALS
CONCERNING LATEST HAZ LIST IN FO & SAFE HNDLG & EXPOS INFO . PRLNG
OVEREXP TO LISTED SOLV INGREDIENTS MAY CAUSE ADVERSE EFTS TO LIVER,
(ING 10)

Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

=====
===== First Aid Measures =====

First Aid:INHAL: REMOVE FROM
EXPOSURE. RESTORE BREATHING. KEEP WARM &
QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER.
REMOVE CONTAMINATED CLOTHING & LAUNDRY BEFORE REUSE. EYES: FLUSH
EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET
MEDICAL ATTENTION. INGEST: GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point: