View NSN Online: https://aerobasegroup.kr/nsn/6850-01-371-8039

Product ID:DERMAPLUS,850

MSDS Date:01/01/1995

FSC:6850

NIIN:01-371-8039

MSDS Number: BWPWS === Responsible Party ===

Company Name: BENCHMARK ENTERPRISES INC

Address: 466 LAWNDALE DRIVE, SUITE D

City:SALT LAKE CITY

State:UT ZIP:84115 Country:US

Info Phone Num:801-466-8300

Emergency Phone Num:801-466-8300

CAGE:0SC13

=== Contractor Identification ===

Company Name: BENCHMARK ENTERPRISES INC

Address: 466 LAWNDALE DRIVE, SUITE D

Box:City:SALT LAKE CITY

State:UT ZIP:84115 Country:US

Phone:801-466-8300

CAGE:0SC13

======= Composition/Information on Ingredients ========

Ingred Name:POLYVINYLPYRROLIDINONE (INSUFFICIENT AMOUNT TO BE

REPORTABLE) CAS:9003-39-8

RTECS #:TR8370000

Other REC Limits: NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE (INSUFFICIENT AMOUNT TO BE REPORTABLE)

CAS:102-71-6

RTECS #:KL9275000 Other REC Limits: NONE RECOMMENDED ============= Hazards Identification ======================== LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:NONE, ACUTE AND CHRONIC-NORMALLY NON-IRRITATING. **Explanation of Carcinogenicity:NONE** Effects of Overexposure:NONE Medical Cond Aggravated by Exposure: NONE _____ ====== First Aid Measures ============== First Aid:NORMALLY NON-IRRITATING. BATHE WITH WATER IF IRRITATION TO EYES OCCURS. CANNOT BE INHALED UNLESS DELIBERATELY ATTEMPTED. SMALL AMOUNTS COULD BE INGESTED WITHOUT UNDUE DISCOMFORT. Flash Point:NONE Extinguishing Media: DRY CARBON DIOXIDE, HALON GAS Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. CO OL CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:PROPELLENT VAPOR IS FLAMMABLE. CONTAINER MAY EXPLODE. ========= Accidental Release Measures ============ Spill Release Procedures: COLLECT WITH INERT ABSORBENT MATERIAL. TRANSFER TO CONTAINER. FLUSH AREA WITH WATER. Neutralizing Agent:NOT RELEVANT ============ Handling and Storage =========================== Handling and Storage Precautions: STORE BELOW 130F AND ABOVE 32F. AVOID CRUSHING. Other

NRC/State Lic Num:NOT RELEVANT Boiling Pt:=100.C, 212.F Vapor Pres:6721 @130F Vapor Density:>1 Spec Gravity:0.94 Evaporation Rate & Description Reference: