View NSN Online: https://aerobasegroup.kr/nsn/1615-01-320-6620

Product ID:HM-110A (RESILIENT ORGANIC) FRICTION MATERIAL MSDS Date:01/01/1987 FSC:1615 NIIN:01-320-6620 MSDS Number: BWRGC === Responsible Party === Company Name: HYDRAMECHANICA CORP Address:6625 COBB DR City:STERLING HEIGHTS State:MI ZIP:48312 Country:US Info Phone Num:313-93 9-0620 313-939-0161(FAX) Emergency Phone Num:313-939-0620 CAGE:NO428 === Contractor Identification === Company Name: HYDRAMECHANICA CORP Address:6625 COBB DR Box:City:STERLING HEIGHTS State:MI ZIP:48312 Country:US Phone:313-939-0620 313-939-0161(FAX) CAGE:NO428 Company Name: HYDRAMECHANICAL CORP Address:6625 COBB DR Box:City:STERLING HEIGHTS State:MI ZIP:48312 Country:US Phone:313-939-0620 CAGE:66951

Ingred Name:CELLULOSE (PAPE

R FIBER) CAS:9004-34-6 RTECS #:FJ5691460 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9394

Ingred Name:PHENOLIC POLYMER CAS:25820-85-3 Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDRATED SILICA Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ARTICLE(IAW:29CFR1910.12 00).CUTTING OR

ABRAIDING MAY CAUSE RELEASE OF CELLULOSE DUST, WHICH MAY CAUSE RESPIRATORY IRRITATION.

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Effects of Overexposure:INHAL:IRRITATION.

Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS UNDER NORMAL CONDITIONS OF USE.

First Aid:SKIN:REMOVE CONTAM

INATED CLOTHING; WASH WITH SOAP AND

WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.

Flash Point:>500F,>260C Extinguishing Media:WATER,DRY CHEMICAL,CARBON DIOXIDE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/E xplosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

Spill Release Procedures:FOR DUST: VENTILATE AREA.USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT.SWEEP OR VACUUM;DO NOT CREATE DUST;PLACE IN A DRY CONTAINER FOR DISPOSAL.CLEAN SPILL AREA WITH WATER. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VEN TILATED

PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING DUST.

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.IN DUSTY CONITIONS,WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR DUST. Ventilation:NO SPECIAL REQUIREMENTS Protective Gloves:COTTON,IF NEEDED. Eye Protection:DUST-PROOF GOGGLES,IF NEEDED. Oth er Protective Equipment:PROVIDE A LOCAL EYE WASH STATION. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health

NONE

HCC:N1 Spec Gravity:0.7-1 Solubility in Water:INSOLBLE Appearance and Odor:SOLID;TAN;ODORLESS.

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED

BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,FRAGMENTS OF PHENOL AND CREOSOTE,LOW MOLECULAR WEIGHT HYDROCARBONS.

Waste Disposal Methods:LANDFILL OR DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this

information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.