View NSN Online: https://aerobasegroup.kr/nsn/7930-01-393-6669 RITE-KEM -- LIQUIZYMES -- 7930-01-393-6669 Product ID:LIQUIZYMES MSDS Date:02/28/1995 FSC:7930 NIIN:01-393-6669 MSDS Number: BWTBJ === Responsible Party === Company Name: RITE-KEM Address:703 WESTMORELAND DRIVE Box:3454 City:TUPELO State:MS ZIP:38803 Country:US Info Phone Num:800-841-5351 Emergency Phone Num:800-424-9300 CHEMTREC CAGE:RITEK === Contractor Identifi cation === Company Name:RITE-KEM Address:703 WESTMORELAND DRIVE Box:City:TUPELO State:MS ZIP:38803 Country:US Phone:800-841-5351 CAGE:RITEK ======= Composition/Information on Ingredients ======== Ingred Name: NONE AS PER 29 CFR 1910.1200 Other REC Limits: NONE RECOMMENDED ========== Hazards Identification =========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:

| INGESTION: MAY PRODUCE GASTRIC DISTRESS. Medical Cond Aggravated by Exposure: NONE KNOWN |
|---|
| ====================================== |
| First Aid:EYES: FLUSH FOR 15 MIN. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. SKIN: FLUSH WITH WATER. INGESTION: DRINK MILK AND GET MEDICAL ATTENTION. |
| ====================================== |
| Flash Point:NON-FLAMMABLE Extinguishing Media:WATER, DRY CHEMICAL, CO2, ALCOHOL FOAM Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:NONE KNOWN |
| ======== Accidental Release Measures ========== |
| Spill Release Procedures:DILUTE WITH WATER AND FLUSH TO SEWER. |
| ====================================== |
| Handling and Storage Precautions:STORE IN COOL, DRY PLACE. Other Precautions:NONE |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NONE Ventilation:LOCAL EXHAUST: DESIRED. MECHANICAL (GENERAL): DESIRED. Protective Gloves:DESIRED Eye Protection:DESIRED Other Protective Equipment:RUBBER APRON AND BOOTS Work Hygienic Practices:WASH SKIN AFTER CONTACT. Supplemental Safety and Health |
| ========== Physical/Chemical Properties ========== |
| Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.0 (H2O=1) Evapor |

EYES: IRRITATION. INGESTION: MAY

PRODUCE GASTRIC DISTRESS. CHRONIC: NONE KNOWN

Effects of Overexposure:EYES: IRRITATION. SKIN: MAY PRODUCE IRRITATION.

Disclaimer (provided with this inform ation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.