

CREST INDUSTRIAL CHEMICALS INC -- CREST PAINT STRIPPER #7 -- 8010-00-142-9273

=====
Product Identification
=====

Product ID:CREST PAINT STRIPPER #7
MSDS Date:01/01/1995
FSC:8010
NIIN:00-142-9273
MSDS Number: BXBZ
=== Responsible Party ===
Company Name:CREST INDUSTRIAL CHEMICALS INC
Address:6341 BEVERLY HILL
Box:42242
City:HOUSTON
State:TX
ZIP:77242
Country:US
Info Phone Num:713-780-8169/1828
Eme
rgency Phone Num:713-780-1828/800-255-3924
Preparer's Name:J.D. BENNETT
CAGE:77513
=== Contractor Identification ===
Company Name:CREST INDUSTRIAL CHEMICALS INC
Address:6341 BEVERLY HILL
Box:42242
City:HOUSTON
State:TX
ZIP:77057-6500
Country:US
Phone:713-780-1828
CAGE:77513

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA 313) (CERCLA)
CAS:75-09-2
RTECS #:PA8050000
Fraction by Wt: >36%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
A

CGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL (SARA 302/313) (CERCLA)
CAS:108-95-2
RTECS #:SJ3327000
Fraction by Wt: >16%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 PPM
ACGIH TLV:5 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA)
CAS:7775-11-3
RTECS #:GB2955000
Fraction by Wt: >1.8%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 PPM
ACGIH TLV:0.05 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Haza
rds Identification =====

Reports of Carcinogenicity:NTP:UNKNOWN IARC:YES
Health Hazards Acute and Chronic:EXCESSIVE AMOUNTS MAY CAUSE COLLAPSE &
DAMAGE TO HEART. INHALATION: IN CONFINED OR POORLY VENTILATED
AREAS, VAPORS CAN CAUSE UNCONSCIOUSNESS. HIGH LEVELS OVER 1000 PPM
CAN CAUSE UNCONSCIOUSNESS. THESE HIGH LEVELS MAY ALSO CAUSE
CARDIAC ARRHYTHMIAS. EXCESSIVE EXPOSURE MAY CAUSE IRRITATION TO THE
UPPER RESPIRATORY TRACT.

Explanation of Carcinogenicity:ME
THYLENE CHLORIDE LISTED AS POTENTIAL
CARCINOGEN,NOT BELIEVED TO POSE MEASURABLE RISK WHEN HANDLED AS
RECOMMENDED.

Effects of Overexposure:EXCESSIVE EXPOSURE MAY CAUSE CENTRAL NERVOUS
SYSTEM EFFECTS
(GIDDINESS,HEADACHE,DIZZINESS,NAUSEA,UNCONSCIOUSNESS,DEATH),CARBOXY
HEMOGLOBINEMIS (IMPAIRING BLOOD'S ABILITY TO TRANSPORT
OXYGEN).KIDNEY DAM AGE (CHANGE IN URINE OUTPUT).LIVER DAMAGE
(APPETITE LOSS,JAUNDICE PAIN IN UPPER RIGHT ABDOM) HEART DAMAGE
(SHORT BREATH)

Medical

Cond Aggravated by Exposure:PRE-EXISTING SKIN, EYE, AND
RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
PRODUCT. IMPAIRED KIDNEY, LIVER, HEART FUNCTIONS FROM PRE-EXISTING
DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/WATER AT LEAST 15 MIN.GET MED AID
IMMED.VAPOR MAY BE IRRITATING. SKIN:IMMED FLUSH WITH WATER 15 MIN.
INHALATION:REMOVE TO FRESH AIR & GIVE OXYGEN IF BREATHI
NG
DIFFICULT.GIVE ARTIF RE SPIRATION IF NOT BREATHING.GET MED AID
IMMED. INGESTION:DON'T INDUCE VOMITING.DON'T GIVE LIQ TO
DROWSY,CONVULSING,UNCONSCIOUS PERSON.GIVE LRG QTY WATER.IF VOMITING
OCCURS,GIVE LRG QTY H2O.GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NONE TO BOILING
Fire Fighting Procedures:THERMAL DECOMP WILL PRODUCE TOXIC OXIDES OF
CHLORINE & CARBON.DON'T ENTER CONFINED FIRE SPACE W/OUT FULL
BUNKER
GEAR W/SCBA.COOL FIRE EXPOSED CONTAINERS W/WATER
Unusual Fire/Explosion Hazard:MAY PRODUCE CARBON & CHLORINE OXIDES.
OXIDES DANGEROUS. COOL CONTAINERS EXPOSED TO HEAT W/WATER. COOL
CONTAINER AREA EXPOSED TO DIRECT FLAME W/LRG AMOUNT WATER

=====
===== Accidental Release Measures =====

Spill Release Procedures:PREVENT CONTACT W/MAT'L.WEAR RESPIRATOR &
FULL-BODY PROTECTIVE CLOTHING.SPILL MAY BE SLIPPERY;TAKE CARE TO
AVOID FALLING.SHUT OFF AT SOURCE
IF SAFE.DIKE & CONTAIN.REMOVE
W/VACUUM TRUCK OR PUMP TO STOR AGE/SALVAGE VESSEL.SOAK UP RESIDUAL
W/ABSORBENT *
Neutralizing Agent:N/K * PLACE IN NON-LEAKING CONTAINER & SEAL
TIGHTLY. FLUSH AREA W/WATER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE IN DIRECT SUNLIGHT.STORE