

GRIGGS PAINT -- TT-S-700C DARK OAK OIL STAIN 700H150 -- 8010-00-165-8628

=====
Product Identification
=====

Product ID:TT-S-700C DARK OAK OIL STAIN 700H150

MSDS Date:01/01/1994

FSC:8010

NIIN:00-165-8628

MSDS Number: BXBKM

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-

9300 CHEMTREC

Preparer's Name:ROBERT COMMISSO

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBONS (STODDARD TYPE) (VAPOR PRESSURE 2.0
MM HG @ 68F) (SARA

III)
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 65%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:MATERIAL VOC: 4.59 LB/GL (549 G/L)
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CONTACT TO EYES MAY CAUSE IRRIT.
PROLONGED/REPEATED CON
TACT MAY CAUSE SKIN IRRIT. INHALATION OF HIGH
CONCENTRATION MAY LEAD TO LUNG
CHANGES,NAUSEA,VOMITING,COUGH,PULMONARY IRRIT & CENTRAL NERVOUS
SYST EM DEPRESSION. INGESTION MAY CAUSE GI DISTURBANCES. ASPIRATION
INTO LUNG MAY CAUSE PNEUMONITIS,PULMONARY EDEMA,HEMORRAGE
Effects of Overexposure:INHAL: BREATHING HIGH VAPOR CONCENTRATIONS MAY
CAUSE DROWSINESS,DIZZINESS,FATIGUE,COMA. EYE: MAY CAUSE IRRITATION.
SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION/DERMATITIS.

MAY BE ABSORBED THR OUGH SKIN. INGESTION:ASPIRATION INTO LUNGS MAY
CAUSE PNEUMONITIS,PULMONARY EDEMA & HEMORRAGE. MAY CAUSE GI
DISTURBANCE.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASES IN OR HISTORY OF AILMENTS INVOLVING SKIN, CENTRAL NERVOUS
SYSTEM, LIVER AND KIDNEY.

===== First Aid Measures =====

First Aid:EYE CONTACT: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER
FOR 15 MINUTES. SEEK MEDICAL AID. SKIN: W
ASH THOROUGHLY WITH SOAP
AND WATER. SEEK MEDICAL AID IF IRRITATION PERSISTS. INGESTION:
IMMEDIATELY SEEK MEDICAL AID. DO NOT INDUCE VOMITING. DO NOT
ATTEMPT TO GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:100F,38C
Autoignition Temp:Autoignition Temp Text:474 F
Lower Limits:1.0
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:APPROVED GAS MASK R

EQUIRED FOR FIRE FIGHTING

PERSONEL. WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL CONTAINERS. IF WATER IS USED, FOG NOZZLES PREFERRED.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION. STAY UPWIND. ABSORB WITH INERT MATERIAL. FLUSH AREA WITH WATER. VENTILATE AREA FOR AT LEAST 24 HOURS OR UNTIL AREA HAS BEEN DECLARED SAFE .

===== Handling and Storage =====

Handling and Storage Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS, TANK OR PIT, WITHOUT ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENT DOESN'T MAINTAIN INHALATION EXPOSURES