

PERMATEX INDUSTRIAL CORP -- HYDRAULIC JACK OIL, 80054, 78E -- 9150-01-091-8079

=====  
Product Identification  
=====

Product ID:HYDRAULIC JACK OIL, 80054, 78E

MSDS Date:04/22/1991

FSC:9150

NIIN:01-091-8079

MSDS Number: BXBPR

=== Responsible Party ===

Company Name:PERMATEX INDUSTRIAL CORP

Address:705 N MOUNTAIN ROAD

City:NEWINGTON

State:CT

ZIP:06111

Country:US

Info Phone Num:203-278-1280

Emergency Ph

one Num:203-278-1280

Preparer's Name:STEPHEN REPETTO

CAGE:62377

=== Contractor Identification ===

Company Name:PERMATEX INDUSTRIAL

Address:HARTFORD SQUARE N 10 COLUMBUS BLVD

Box:City:HARTFORD

State:CT

ZIP:06106

Country:US

Phone:877-376-2839

CAGE:62377

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (SEVERE),  
HEAVY NAPHTHENIC; (MINERAL OIL)

CAS:64742-52-5

RTECS #:PY8035001

Fraction by Wt: 95-100%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:POLYMETHACRYLATE; (POLYMETHACRYLATE DISPERSION)

Fraction by Wt: 1-3%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:RUST INHIBITORS/PETROLEUM OIL; (RUST INHIBITOR)

Fraction by Wt: 0.1-1%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:SURFACTANT % WT: 0.01-0.1

Fraction by Wt: 200F,>93C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

=====

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. SOAK UP IN AN INERT ABSORBENT.

STORE IN A CLOSED CONTAINER UNTIL DISPOSAL. CLEAN UP RESIDUE WITH SOAP AND WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM FLAMES, SPARKS OR HOT SURFACES.

Other Precautions:AVOID SKIN CONTACT. KEEP AWAY FROM EYES. AVOID PROLONGED BREATHING OF VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves:NEOPRENE OR PLASTIC GLOVES.

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

h  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>175F,>79C

Vapor Pres: