

ALTERNATIVE MATERIALS TECHNOLOGY, INC -- WATER MASTER WATERBORNE TOP COAT, 15TC, BRUSHABLE, SATIN -- 8010-01-397-3575

===== Product Identification =====

Product ID:WATER MASTER WATERBORNE TOP COAT, 15TC, BRUSHABLE, SATIN

MSDS Date:11/02/1994

FSC:8010

NIIN:01-397-3575

MSDS Number: BXBVC

=== Responsible Party ===

Company Name:ALTERNATIVE MATERIALS TECHNOLOGY, INC

Address:1266 HUMBOLDT AVENUE

City:C

HICO

State:CA

ZIP:95928

Country:US

Info Phone Num:916-894-3585

Emergency Phone Num:916-894-3585

CAGE:0ZXD0

=== Contractor Identification ===

Company Name:ALTERNATIVE MATERIALS TECHNOLOGY, INC

Address:1266 HUMBOLDT AVENUE

City:CHICO

State:CA

ZIP:95928

Country:US

Phone:916-894-3585

CAGE:0ZXD0

===== Composition/Information on Ingredients =====

Ingred Name:DIPROPYLENE GLYCOL MONOMETHYL ETHER (SARA III)

CAS:34590-94-8

RTECS #:JM1575000

Fraction by Wt: 2.25%

Other REC Limits:NONE R

ECOMMENDED

OSHA PEL:100 PPM (SKIN)

ACGIH TLV:100 PPM (SKIN)

Ingred Name:PROPYLENE GLYCOL MONO-TERT-BUTYL ETHER

CAS:57018-52-7

Fraction by Wt: 4.5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL N-BUTYL ETHER

CAS:5131-66-8

RTECS #:UA7700000

Fraction by Wt: 2.25%

Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLATILE ORGANIC CONTENT (VOC): 222.62 GRAMS/LITER MINUS WATER. 1.86 POUNDS/GALLON MINUS WATER.

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

OLATILE EMISSIONS: 0.79 POUNDS/GALLON. 95.01
GRAMS/LITER.

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYE: SEVERE IRRITATION (DIRECT CONTACT). SKIN: SLIGHT IRRITATION (REPEATED OR PROLONGED CONTACT). INHALATION: (EXTREMELY HIGH CONCENTRATIONS) IRRITATING TO EYES & RESPIRATORY TRACT. SIGNS & SYMPTOMS OF TOXICITY ARE SIMILAR TO THOSE OF SWALLOWING. SWALLOWING: HEADACHE, DIZZINESS, INCOORDINATION, NAUSEA, VOMITING, *
Effects of Overexposure:* DIARRHEA, AND GENERAL WEAKNESS. INGESTION OF SIGNIFICANT QUANTITIES MAY RESULT IN RED BLOOD CELL HEMOLYSIS.
Medical Cond Aggravated by Exposure:MAY AGGRAVATE AN EXISTING DERMATITIS.

=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH EYES THOROUGHLY WITH WATER AND CONTINUE FOR SEVERAL MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH WATER. INHALATION: REMOVE TO FRESH AIR. SWALLOWING: IF PATIENT IS CONSCIOUS AND HAS A GAG REFLEX, GIVE TWO GLASSES OF WATER. INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:NONCOMBUSTIBLE
Extinguishing Media:TYPE A, B, C, OR COMBINATION TYPE

=====
Accidental Release Measures
=====

Spill Release Procedures:DIKE AND CONTAIN SPILLS. ABSORB WITH SUITABLE MATERIAL. COLLECT MATERIAL INTO SUITABLE CONTAINERS AND DISPOSE OF PROPERLY.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT ALLOW PRODUCT TO FREEZE! DO NOT STORE BELOW 40F.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF ADEQUATE VENTILATION IS NOT MAINTAINED, RESPIRATORS (OSHA/NIOSH APPROVED) M

AY BE NECESSARY. IF EXPOSURE TO

SPRAY MIST EXISTS, WEAR NIOSH APPROVED ORGANIC VAPOR/PARTICULATE RESPIRATOR.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED.

Protective Gloves:IMPERVIOUS, CHEMICAL RESISTANT GLOVES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:304F,151C

Vapor Density: