

UNION RUBBER INC -- BEST TEST PAPER CEMENT -- 8040-00-262-9040

=====
Product Identification
=====

Product ID: BEST TEST PAPER CEMENT

MSDS Date: 02/01/1991

FSC: 8040

NIIN: 00-262-9040

MSDS Number: BXBZH

=== Responsible Party ===

Company Name: UNION RUBBER INC

Address: 232 ALLEN ST

Box: 1040

City: TRENTON

State: NJ

ZIP: 08606

Country: US

Info Phone Num: 609-396-9328

Emergency Phone Num: 606-324-1133

CAGE: 87719

=== Contractor Identification ===

Company Name: BLICK DICK CO

Address: P O BOX 1267

Box: City: GALESBURG

State: IL

ZIP: 61401

Country: US

Phone: 309-343-6181

CAGE: 06608

Company Name: SAX ARTS & CRAFTS SUB OF BEATRICE COMPANIES INC

Address: 2405 S CALHOUN RD

Box: City: NEW BERLIN

State: WI

ZIP: 53151

Country: US

Phone: 262-784-6880

CAGE: 26290

Company Name: UNION RUBBER INC

Address: 232 ALLEN ST

Box: 1040

City: TRENTON

State: NJ

ZIP: 08606

Country: US

Phone: 609-396-9328

CAGE: 87719

=====
Composition/Information
=====

on Ingredients =====

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
Fraction by Wt: 87.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:400 PPM/500STEL;9394

Ingred Name:RUBBER NATURAL (PER MSDS CAS#:69006-04-6)
Fraction by Wt: 12.9%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS PROCESSING AIDS
RTECS #:9999999ZZ
Fraction by Wt: 0.1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 5.04 LBS/GAL
RTECS #:999999
9VC
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HIGH VAPOR CONCENTRATIONS ARE
IRRITATING TO EYES AND RESPIRATORY TRACT. MAY CAUSE CNS EFFECTS,
ASPHYXIATION. MAY CAUSE GASTROINTESTINAL IRRITATION, VOMITING,
DIARRHEA. PROLONGED/REPEATE
D SKIN CONTACT TENDS TO REMOVE OILS
POSSIBLY LEADING TO IRRITATION AND DERMATITIS. DIRECT CONTACT MAY
IRRITATE EYES.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:EYE IRRITATION, RESPIRATORY IRRITATION,
HEADACHES, DIZZINESS, FATIGUE, NAUSEA, ASPHYXIATION, GI TRACT
IRRITATION, VOMITING, DIARRHEA, DRY SKIN, SKIN IRRITATION,
DERMATITIS.

Medica

t:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:198F,92C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:40

Vapor Density:3.5

Spec Gravity:0.70

pH:7

Evaporation Rate & Reference:4.5 (N-BUTYL ACETATE = 1)

Solubility in Water:NOT GIVEN

Appearance and Odor:PALE STRAW COLOR, MIL, BLAND, PLEASANT ODOR

Percent Volatiles by Volume:91 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:AVOID HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY, OPEN FLAMES

Hazardous Decomposition Products:FUMES, SMOKE

, CARBON MONOXIDE,

ALDEHYDES AND OTHER DECOMPOSITION PRODUCTS IN CASE OF INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by el

ements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.