View NSN Online: https://aerobasegroup.kr/nsn/6850-01-343-6998

TONER ETC -- TONER, TEC. TYPE III, HP 92291A -- 6850-01-343-6998

Product ID:TONER, TEC. TYPE III, HP 92291A

MSDS Date:07/20/1993

FSC:6850

NIIN:01-343-6998

MSDS Number: BXCCR === Responsible Party === Company Name:TONER ETC Address:124 HERITAGE AVE

City:PORTSMOUTH

State:NH ZIP:03801 Country:US

Info Phone Num:603-431-0705 703-971-7628 VA #

Emergency Phone Num:303-623

-5716/603-880-5555

CAGE:0YL79

=== Contractor Identification === Company Name:TONER ETC Address:124 HERITAGE AVE Box:City:PORTSMOUTH

State:NH ZIP:03801 Country:US

Phone:800-370-8663 603-431-3624

CAGE:0YL79

======= Composition/Information on Ingredients ========

Ingred Name:STYRENE/ACRYLATE POLYMER, CAS#25213-46-2

Fraction by Wt: 45-55%

Other REC Limits: NONE RECOMMENDED

Ingred Name: IRON OXIDE, MAGNETITE

CAS:1317-61-9

Fraction by Wt: 45-55%

Other REC Limits: NONE RECOMMENDED

OSHA PEL

:10 MG/M3 ACGIH TLV:5 MG/M3

Ingred Name:BLACK PIGMENT

CAS:31714-55-3 Fraction by Wt: .2-1.5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POLYOLEFIN, CAS#9003-07-0.

Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMORPHOUS SILICA, CAS#68905-20-6.

Fraction by Wt: .3-1.5%

Other REC Limits: NONE RECOMMENDED

=========== Hazards Identification ==========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO

OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT.SKIN:REPEATED CONTACT MAY CAUSE IRRIT;MAY CAUSE ALLERGIC SKIN REACTION.INHAL:INHAL OF DUST COULD CAUSES RESP IRRIT ABOVE TLV BUT CONSIDERED A LOW HAZ.INGEST:MAY CAUSE IRRIT OF MUCO US MEMBRANES OR DIGESTIVE TRACT.CHRONIC:COMPUTERIZED LITERATURE SEARCH OF NAT DATABASES DID NOT YIELD CHRONIC EFFECTS.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY LISTING:NTP/IARC/OSHA:NO.


Effects of Overexposure:EYE IRRI

T. SKIN IRRIT. ALLERGIC SKIN REACTION.

MUCOUS MEMBRANES OR DIGESTIVE TRACT IRRIT.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR 15MINS. OBTAIN MED ATTN. SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FOR 15MOINS. REMOVE CONTAMIN CLOTHING. IN CASE OF CONTD IRRIT CONSULT PHYSICIAN. INHAL:FOR OVER-EXPO REMOVE TO FRESH AIR. INGEST:OBTAIN IM



Work Hygienic Practices: WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

SPILL:RESIDUE W/S

## OAP & COLD WATER.GARMENTS MAY BE WASHED/DRY CLEANED AFT REMOVAL OF LOOSE TONER.

========= Physical/Chemical Properties ===========

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:SOFTEN@160F

Spec Gravity:2.94

Solubility in Water: NEGLIGIBLE

Appearance and Odor:FINE BLACK POWDER, SLIGHT ODOR.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZERS.

Stability Condition to Avoid: EXCESSIVE HEAT OR FLAME.

Hazard

ous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE.

======= Disposal Considerations ==========

Waste Disposal Methods:ACCORDING TO FED REG 40CFR261 MATL NOT HAZ WASTE WHEN DISCARDED.HOWEVER STATE/LOCAL REQMTS MAY BE MORE RESTRICTIVE.THEREFORE CONSULTATION W/PROPER STATE/LOCAL AUTHORITIES IS ADVISED.INCINERATE ONLY IN CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.