

BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC -- CIPROFLOXACIN -- 6550-01-335-6096

===== Product Identification =====

Product ID:CIPROFLOXACIN

MSDS Date:09/28/1994

FSC:6550

NIIN:01-335-6096

MSDS Number: BXFVT

=== Responsible Party ===

Company Name:BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC

Address:250 SCHILLING CIR

Box:243

City:COCKEYSVILLE

State:MD

ZIP:21030

Country:US

Info Phone Num:410-584-7154

Emer

gency Phone Num:301-584-7169

CAGE:05545

=== Contractor Identification ===

Company Name:BECTON DICKINSON AND CO MICROBIOLOGY SYSTEMS DIV

Address:250 SCHILLING CIRCLE

Box:City:HUNT VALLEY

State:MD

ZIP:21030-1103

Country:US

Phone:410-771-0101

CAGE:05545

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: .00%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entr

y: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THIS PRODUCT CONTAINS NO HAZARDOUS MATERIAL AS DEFINED BY OSHA HAZARD COMMUNICATION STANDARD. HOWEVER, IN EVENT OF SPILL OR ACCIDENT INVOLVING THIS MATERIAL, GOOD PERSONAL HYGIENE SHOULD BE PRACTICED.
Explanation of Carcinogenicity:NO INDICATORS GIVEN.
Effects of Overexposure:SEE HEALTH HAZARD.
Medical Cond Aggravated by Exposure:PERSONS WITH KNOWN OR SUSPECTED

ALLERGIES TO ANTIBIOTICS SHOULD ADVISE MD OF INCIDENT THAT MAY HAVE RESULTED IN EXPOSURE TO ANTIBIOTIC TREATED PRODUCT.

===== First Aid Measures =====

First Aid:NONE INDICATED.

===== Fire Fighting Measures =====

Extinguishing Media:IF PRODUCT BECOMES INVOLVED IN A FIRE SITUATION, EXTINGUISHING MEDIA FOR SURROUNDING MATERIAL SHOULD BE APPROPRIATE.
Fire Fighting Procedures:NONE INDICATED.
Unusual Fire/Explosion
Hazard:NONE INDICATED.

===== Accidental Release Measures =====

Spill Release Procedures:MAY BE SWEEPED UP AND DISPOSED OF WITH NORMAL LAB TRASH.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE INDICATED.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL PRODUCT USAGE.
Ventilation:NOT REQUIRED UNDER NORMAL PRODUCT USAGE.
Other Protective Equipment:NOT REQUIRED UNDER NORMAL PRODUCT USAGE.
Work Hygienic Practices:GOOD PERSONAL HYGIENE SHOULD BE PRACTICED.
Supplemental Safety and Health
MFR'S TRADE NAME/PART NO: SUSCEPTIBILITY TEST DISCS.

===== Physical/Chemical Properties =====

HCC:N1
Solubility in Water:INSOLUBLE
Appearance and Odor:PAPER DISCS OF VARIABLE COLOR.

===== Stability and Rea

ctivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE DETERMINED.

Stability Condition to Avoid:HEAT.

Hazardous Decomposition Products:NOT INDICATED.

===== Disposal Considerations =====

Waste Disposal Methods:MAY BE DISPOSED OF WITH NORMAL LAB TRASH. FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Depa

rtment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.