View NSN Online: https://aerobasegroup.kr/nsn/7930-01-360-9276

## NATIONAL CHEMSEARCH DIV NCH CORP -- GLISTEN, 0077 -- 7930-01-360-9276

Product ID:GLISTEN, 0077 MSDS Date:09/26/1985

FSC:7930

NIIN:01-360-9276

MSDS Number: BXFWK === Responsible Party ===

Company Name: NATIONAL CHEMSEARCH DIV NCH CORP

Box:152170 City:IRVING State:TX ZIP:75015 Country:US

Info Phone Num:214-438-4144

Emergency Phone Num:214-438-4144

Preparer's Name:KE

VIN UHL CAGE:DO481

=== Contractor Identification ===

Company Name: NATIONAL CHEMSEARCH DIV OF NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170 City:IRVING State:TX

ZIP:75015-5000 Country:US

Phone:972-438-1381

CAGE:DO481

Company Name: NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170 City:IRVING State:TX

ZIP:75015-2170 Country:US

Phone:972-438-0563


CAGE:20913

====== Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL; (ISOPROPANOL) (SARA 313)

CAS:67-63-0

RT



Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES. Unusual Fire/Explosion Hazard:WARNING:FLAMMABLE. KEEP AWAY FROM HEAT,

SPARKS & OPEN FLAME.

======== Accidental Release Measures ==========

Spill Release Procedures: SM SPILL: TAKE UP W/ABSORB MATL & PLACE IN NON-LEAKING, CNTNRS SEALED

TIGHT FOR PROPER DISP. LG SPILL:WARNING, FLAMM. EVACUATE HAZ AREA OF UNPROTECTED PERS. WEAR APPROP NIOSH/MSHA APPRVD RESP & PROT CL THG. SHUT OFF SOURCE OF LEAK IF SAFE TODO(SUPDAT) Neutralizing Agent:LARGE AMOUNTS OF WATER. ============= Handling and Storage ========================== Handling and Storage Precautions: STORAGE TEMPERATURE: 120F (MAX), 32F (MIN). STORE INDOOR/OUTDOORS. KEEP IN COOL, DRY PLACE. KEEP OUT OF REACH OF CHILDREN. Other Precautions: READ ENTIR E LABEL BEFORE USING PRODUCT. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS USE A NIOSH/MSHA APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. USE EITHER A NIOSH/MSHA APPRVD FULL-FACE, ATM-SUPPLYING RESP/AIR-PURIFYING RES P FOR ORGANIC VAPORS. Ventilation: AREAS OF USE W/ADEQUATE VENTILATION SHOULD BE SUFFICIENT IN USE AS A GLASS CLEANER. Protective Gloves: IMPERVIOUS GLOVES. Eye P rotection: ANSI APPROVED CHEM WORKERS GOGGS. Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA . SHOES OR BOOTS. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health FIRST AID PROC: FOOTWEAR WHICH CANNOT BE DECONTAM. SEEK MED ATTN IMMED. INGET: DO NOT INDUCE VOMIT. GIVE LG QTYS OF WATER. IF AVAIL, GIVE SEVERAL GLASSES OF CITRUS JUICE. NEVER GIVE ANYTHING BY MOUTH TO UNCON PERS. SEEK MED ATTN IMMED. SPILLP ROC:SO. CONTAIN SPILL. PUMP TO STOR VESSELS. FLUSH AREA. ======== Physical/Chemical Properties =========== Boiling Pt:B.P. Text:175F,79C Vapor Pres:25 Vapor Density:2 Spec Gravity: 0.955 (H\*2O=1) pH:6 Evaporation Rate & Description Rate & Reference: 1.6 (BUTYL ACETATE=1) Solubility in Water: COMPLETE Appearance and Odor: NON-VISCOUS, LIGHT BLUE, TRANSPARENT; ISOPROPANOL ODOR. Percent Volatiles by Volume:99 ======== Stability and Reactivity Data =========== Stability

Indicator/Materials to Avoid:YES
H*2 & NITROGORM, DEUM, COCL*2.
Stability Condition to Avoid: KEEP AWAY FROM HEAT & OPEN FLAME
Hazardous Decomposition Products: CARBON MONOXIDE POSSIBLE.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS CONCERNING HEALTH POLLUTION. USE NON-LEAKING CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.