View NSN Online: https://aerobasegroup.kr/nsn/6850-01-393-7434 CANTOL,INC. -- ACI-TECH -- 6850-01-393-7434 Product ID:ACI-TECH MSDS Date:06/11/1993 FSC:6850 NIIN:01-393-7434 MSDS Number: BXFXC === Responsible Party === Company Name: CANTOL, INC. Address:2211 NORTH AMERICAN STREET City:PHILADELPHIA State:PA ZIP:19133 Country:US Info Phone Num:215-425-1966 Emergency Phone Num:215-425-1911 Preparer's Name: RICHARD J. PETSCHE CAGE: 58380 === Contractor Identification === Company Name: CANTOL, INC. Address:2211 NORTH AMERICAN STREET Box:City:PHILADELPHIA State:PA ZIP:19133-3306 Country:US Phone:215-425-1966 CAGE:58380 ======= Composition/Information on Ingredients ======== Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III) CAS:7647-01-0 RTECS #:MW4025000 Fraction by Wt: 9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Nam

Flash Point:NONE BY TCC Fire Fighting Procedures:WATER SOLUTIONS AR

E HIGHLY ACIDIC. WEAR FULL PROTECTIVE EQUIPMENT. KEEP CONTAINERS COOL TO PREVENT FUMING. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures: VENTILATE AREA. SOAK UP SPILL WITH OIL ABSORBENT. FLUSH ANY RESIDUE WITH PLENTY OF WATER.
============ Handling and Storage ==============
Handling and Storage Precautions:AVOID PROLONGED & REPEATED BREATHING OF VAPOR. DO NOT GET INTO EYES, ON SKIN, ON CLOTHING. STORE IN A COOL AREA. KEEP FROM FREEZING. Other Precautions:FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. READ AND FOLLOW ALL LABEL DIRECTIONS AND PRECAUTIONS. DO NOT MIX WITH ANY OTHER CHEMICALS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE-USE WITH ADEQUATE VENTILATION. Ventilation:LOCAL EXHAUST-NORMAL. Protective Gloves:RUBBER, NEOPRENE,PLASTIC. Eye Protection:EYE GOGGLES. Other Protective Equipment:NONE. Work Hygien ic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health KEEP OUT OF REACH OF CHILDREN.
======================================
HCC:C1 Boiling Pt:B.P. Text:190-210F Vapor Density:>1 Spec Gravity:1.09 Evaporation Rate & Description Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR YELLOW LIQUID WITH A MILD ODOR.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoi

d:YES STRONG ALKALI.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:BURNING MAY YIELD CARBON DIOXIDE AND MONOXIDE, SULFUR DIOXIDE, HYDROGEN SULFIDE, PHOSPHORUS OXIDE FUMES.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF USED ABSORBANT IN PROPER RECEPTICLE FOR LANDFILL. DISPOSE OF UNDILUTED LIQUID AS HAZARDOUS WASTE IN ACCORDANCE WITH EPA-RCRA. (PH LESS THAN 2).

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.