

DEXTER AEROSPACE; MATERIALS DIVISION -- EA 929 NA A09097 -- 8040-00-117-8374
===== Product Identification =====

Product ID:EA 929 NA A09097

MSDS Date:09/01/1992

FSC:8040

NIIN:00-117-8374

MSDS Number: BXG XK

=== Responsible Party ===

Company Name:DEXTER AEROSPACE; MATERIALS DIVISION

Address:2850 WILLOW PASS ROAD

City:PITTSBURG

State:CA

ZIP:94565-3299

Country:US

Info Phone Num:510-458-8000 X262/X263

Emergency Phone Num:800-424-9300 / 202-483-7616

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:4-GLYCIDYLOXY, N,N-DIGLYCIDYL ANILINE

CAS:5026-74-4

Fraction by Wt: 10-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:BISPHENOL A/EPICHLOROHYD

RIN EPOXY RESIN
CAS:25068-38-6
RTECS #:KC2100000
Fraction by Wt: 30-60%
Other REC Limits:NONE RECOMMENDED

Ingred Name:STRONTIUM CHROMATE (SARA 313) (CERCLA)
CAS:7789-06-2
RTECS #:GB3240000
Fraction by Wt: 3-7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.05 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:SILICA, AMORPHOUS
CAS:112945-52-5
RTECS #:VV7318000
Fraction by Wt: 0-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:6 MG/M3

Ingred Name:VOC: 1
Sp
ec Gravity:12.22 LBS/GAL
Viscosity:4800-15000 *
Solubility in Water:NEGLIGIBLE
Appearance and Odor:YELLOW-GREEN VISCOUS PASTE WITH EPOXY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGNETS, STRONG LEWIS OR MINERAL ACIDS.
Stability Condition to Avoid:HIGHLY EXOTHERMIC. DO NOT CURE IN MASSES
>10GRAMS UNLESS USED IMMEDIATELY. MAT'L HAS STEP CURE OF 2 HRS @
190F, 1/2 HR**

Disclaimer (provided with th

is information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.