View NSN Online: https://aerobasegroup.kr/nsn/7510-00-161-4237

VALJEAN CORP -- BLACK STAMP PAD INK -- 7510-00-161-4237

Product ID:BLACK STAMP PAD INK

MSDS Date:05/05/1995

FSC:7510

NIIN:00-161-4237

MSDS Number: BXNWQ === Responsible Party === Company Name: VALJEAN CORP Address: 1785 S PATRICK DR City: INDIAN HARBOUR BEACH

State:FL

ZIP:32937-5000 Country:US

Info Phone Num:407-773-2454

Emergency Phone Num:407-773-2454

CAGE:6R982

=

== Contractor Identification === Company Name:VALJEAN CORP Address:1785 S PATRICK DR City:INDIAN HARBOUR BEACH

State:FL

ZIP:32937-5000 Country:US

Phone:407-773-2454

CAGE:6R982

======= Composition/Information on Ingredients ========

Ingred Name: COLUMBIA CARBON, CARBON BLACK, LAMPBLACK, BLACK PEARLS (IARC CARC GROUP 3) - *95-2*

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 1.8%

Other REC Limits: 3.5 MG/CUM (NIOSH)

OSHA PEL:3.5 MG/CUM ACGIH TLV:3.5 MG/CUM

===========

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRITATION. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION.
======================================
First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: DRINK WATER & INDUCE VOMITING. OBTAIN MEDICAL ATTENTION
IN ALL CASES.
======================================
Extinguishing Media:WATER, DRY CHEMICAL, CO2, FOAM Fire Fighting Procedures:WEAR SCBA
========= Accidental Release Measures ==========
Spill Release Procedures:COLLECT W/ABSORBENT MATERIAL. SWEEP UP & PLACE IN DRUM & DISPOSE OF PROPERLY.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A COOL DRY AREA. KEEP FROM FREEZING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE A NIOSH APPROVED VAPOR RESPIRATOR. Ventilation:RECOMMENDED Protective Gloves:RECOMMENDED Eye Protection:SPLASH GOGGLES Other Protective Equipment:NONE Supplemental Safety and Health
========== Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:212F Spec Gravity:1.02-1.03 Solubility in Water:DISPERSIBLE Appearance and Odor:BLACK LIQUID W/SLIGHT ODOR
========= S

==== Hazards Identification =========

Stability Indicator/Materials to Avoid:YES
OXIDIZING & REDUCING AGENTS

tability and Reactivity Data ========

Stability Condition to Avoid:FREEZING

======= Disposal Considerations ===========

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no ma nner whatsoever.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.