

WESCOR INC -- WESCOR AEROFIX ADDITIVE 135 ML

=====

MSDS Safety Information

=====

FSC: 6550  
NIIN: 01-349-6726  
MSDS Date: 09/29/1994  
MSDS Num: BXPDJ  
Product ID: WESCOR AEROFIX ADDITIVE 135 ML  
MFN: 01  
Responsible Party  
Cage: 57699  
Name: WESCOR INC  
Address: 459 S MAIN ST  
City: LOGAN UT 84321-5207  
Info P  
hone Number: 801-752-6011/800-453-2725  
Emergency Phone Number: 801-752-6011/800-453-2725  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 57699  
Name: WESCOR INC  
Address: 459 S MAIN ST  
City: LOGAN UT 84321-5207

=====

Contractor Summary

=====

=====

Cage: 57699  
Name: WESCOR INC  
Address: 459 S MAIN ST  
City: LOGAN UT 84321-5207  
Phone: 801-752-6011/800-453-2725

=====

Item Description Information

=====

Item Name: METHANOL SOLUTION  
Unit of Issue: BT  
Quantitative Expression: 00000000135ML  
UI Container Qty: 1

=====

Ingredients

=====

Name: \*

Health Hazards Data

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: YES

OSHA: NO

Effects of Exposure: SKIN: REPEATED EXPOSURE MAY RESULT IN ABSORPTION OF HARMFUL QUANTITIES. INGESTION: MODERATE ORAL TOXICITY. MAY CAUSE CNS EFFECTS, KIDNEY FAILURE. ESTIMATED AVERAGE LETHAL DOSE IS

100 ML. INHALATION: MAY

CAUSE IRRITATION. EYES: SLIGHT TEMPORARY IRRITATION.

Explanation Of Carcinogenicity: SEE INGREDIENTS

Signs And Symptoms Of Overexposure: IRRITATION & METABOLIC ACIDOSIS.

First Aid: SKIN: WASH W/WATER. INGESTION: IMMEDIATELY INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/PLENTY OF WATER FOR 5 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN:

EARLY

ADMINISTRATION OF ETHANOL MAY COUNTER TOXIC EFFECTS OF ETHYLENE GLYCOL. (SEE SUPP)

Handling and Disposal

Spill Release Procedures: WEAR GLOVES & EYE PROTECTION. SOAK UP W/ABSORBENT MATERIAL & COLLECT FOR DISPOSAL. WASH SITE W/SOAP/MILD DETERGENT & WATER AFTER CLEANUP.

Waste Disposal Methods: BURN IN AN APPROVED INCINERATOR IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BETWEEN 64.4-87.8F. AVOID ACIDS & STRONG OXIDIZING AGENTS. KEEP IN TIGHTLY CLOSED CONTAINER STORED IN A COOL, DRY, VENTILATED AREA.

Other Precautions: PROTECT FROM PHYSICAL DAMAGE. KEEP OUT OF REACH OF CHILDREN. AVOID BREATHING VAPORS, CONTACT W/SKIN & EYES.

Fire and Explosion Hazard Information

Flash Point Text: 246F

Low

er Limits: 3.2  
Upper Limits: 15.3  
Extinguishing Media: WATER FOG, DRY CHEMCIAL, ALCOHOL FOAM, CO2.  
Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING & NIOSH APPROVED  
SELF CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard: SLIGHT-MODERATE FIRE HAZARD WHEN EXPOSED TO HIGH  
HEAT/FLAME. VAPOR-AIR MIXTURES ARE EXPLOSIVE >246F. WILL IGNITE IN AIR AT  
775.4F.

=====  
Control Measures

=====  
=====  
Respiratory Protection: WEAR A SELF CONTAINED BREATHING APPARATUS IF >TLV.  
Ventilation: MECHANICAL (GENERAL ROOM VENT)  
Protective Gloves: PLASTIC  
Eye Protection: GOGGLES  
Other Protective Equipment: EYE WASH FACILITY, SAFETY SHOWER  
Supplemental Safety and Health: FIRST AID CONT'D: HEMODIALYSIS/PERITONEAL  
DIALYSIS HAVE BEEN OF BENEFIT.

=====  
Physical/Chemical Properties

=====  
B.P  
. Text: 379.4F  
M.P/F.P Text: 8.6F  
Vapor Pres: 0.1  
Vapor Density: 2  
Solubility in Water: MISCIBLE  
Appearance and Odor: PALE BLUE VISCOUS LIQUID W/FAINT TO NO ODOR.

=====  
Reactivity Data

=====  
Stability Indicator: YES  
Stability Condition To Avoid: EXTREME HEAT/FLAME.  
Materials To Avoid: STRONG OXIDIZING AGENTS & ACIDS.  
Hazardous Decomposition Products: CO, CO2, NITROGEN OXIDES & FORMALDEHYDE.  
Hazar  
dous Polymerization Indicator: NO

=====  
Toxicological Information

=====  
=====  
Ecological Information

=====  
=====  
MSDS Transport Information

=====  
=====  
=====

====

Regulatory Information

=====  
=====

Other Information

=====  
=====

HAZCOM Label

=====

Product ID: WESCOR AEROFIX ADDITIVE 135 ML

Cage: 57699

Company Name: WESCOR INC

Street: 459 S MAIN ST

City: LOGAN UT

Zipcode: 84321-5207

Health Emergency Phon

e: 801-752-6011/800-453-2725

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: SKIN: REPEATED EXPOSURE MAY RESULT IN ABSORPTION OF  
HARMFUL QUANTITIES. INGESTION: MODERATE ORAL TOXICITY. MAY CAUSE CNS EFFECTS,  
KIDNEY FAILURE. ESTIMATED AVERAGE LETHAL DOSE IS 100 ML. INHALATION: M AY  
CAUSE IRRITATION. EYES: SLIGHT TEMPORARY IRRITATION.  
IRRITATION & METABOLIC ACIDOSIS.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the Uni  
ted

States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.