View NSN Online: https://aerobasegroup.com/nsn/6850-01-371-8048

Product ID: ELECTRON AEROSOL, 0365 MSDS Date:02/03/1995 FSC:6850 NIIN:01-371-8048 MSDS Number: BXPWD === Responsible Party === Company Name: ECOLINK INC Address:1481 ROCK MOUNTAIN BLVD **City:STONE MOUNTAIN** State:GA ZIP:30083 Country:US Info Phone Num:800-886-8240 OR 770-621-8240 Emergency Phone Num:800-877-333 9/800-535-5053 CAGE:0WU71 === Contractor Identification === **Company Name: ECOLINK INC** Address:1481 ROCK MOUNTAIN BLVD Box:City:STONE MOUNTAIN State:GA ZIP:30083-1505 Country:US Phone:800-886-8240/770-621-8240 CAGE:0WU71 Company Name: SENTRY CHEMICAL CO INC Address:1481 ROCK MOUNTAIN BLVD Box:748 **City:STONE MOUNTAIN** State:GA ZIP:30086 Country:US Phone:770-934-4242 CAGE:8S927

Ingred Name:MINERAL SPIRITS/PETROLEUM HYDROCARBON CAS:

64475-85-0 RTECS #:PY8240000 Fraction by Wt: >60% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Other REC Limits:NONE RECOMMENDED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;95

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TAR GET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- INHALATION OF VAPORS IN HIGH

CONCENTRATIONS/MISTS MAY CAUSE RESPIRATORY TRACT IRRITATION. CONTACT WITH EYES/SKIN MAY CAUSE IRRITATION. INGESTI ON CAN CAUSE GI TRACT IRRITATION. CHRONIC- REPEATED SKIN CONTACT MAY CAUSE EXCESSIVE DRYING OR FLAKING OF SKIN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, HEADACHE, NAUSEA, VOMITING,

CAUGHING, DRYING AND FLAKING OF SKIN, TEARING

Medical Cond Aggrava

ted by Exposure: PERSONS WITH PRE-EXISTING SKIN

DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INGESTION:D O NOT INDUCE VOMITING. GET MEDICAL ATT ENTION.

Flash Point Method:TCC Flash Point:FLAMMABL AEROSOL Lower Limits:0.7% Upper Limits:6.0% Extinguishing Media:CARBON DIOXIDE, FOAM, SAND/DRY CHEMICAL. AVOID SPREADING ANY BURNING LIQUID WITH WATER SPRAY. WATER MAY BE INEFFECTIVE. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosi

on Hazard:SPRAY CANS UNDER PRESSURE. CONTAINS FLAMMABLE LIQUID. EXPLOSION HAZARD EXISTS WHEN SPRAY CANS HEATED. DO NOT ENTER SPRAY CAN STORAGE AREA IF FIRE PRESENT.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. REMOVE IGNITION SOURCES. LEAKING CONTAINERS CAN BE PLACED OUTDOORS. ALLOW PRESSURE TO DISSIPATE. ABSORB SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND AND P LACE IN CONTAINER F OR LATER DISPOSAL. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE SPRAY CANS IN COOL, WELL VENTILATED AREAS AWAY FROM SOURCES OF IGNITION, DIRECT SUNLIGHT AND INCOMPATIBLE MATERIALS. DO NOT STORE ABOVE 120F.
Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND MAY BE DANGEROUS. AVOID REPEATED/PROLONGED SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. DO NOT SMOKE WHILE SPRAYING. AVOID BRE
ATHING VAPORS OR MIST. DO NOT GET IN EYES.

Respiratory Protection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:LOCAL EXHAUST IS ADEQUATE.

Protective Gloves:NEOPRENE/NITRILE FOR REPEATED CONTACT

Eye Protection: CHEMICAL SAFETY GOGGLES

IF SPRAYING

Other Protective Equipment: EYE WASH STATION & SAFETY SHOWERS SHOULD BE AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE.

Work Hygienic Practices: USE ONLY AS DIRECTED ON LABEL. READ LABEL

BEFORE USING PRODUCT. AVOID EYE CONTACT. WASH HANDS BEFORE EATING. Supplemental Safety and Health

FLAMMABLE! CONTENTS UNDER PRESSURE. DO NOT USE IN CONFINED AREA OR AREA WITH LITTLE AIR MOVEMENT. EMPLOY MEANS TO PREVENT VAPOR BUILDUP.

========= Physical/Chemical Pr

operties ==============

HCC:V3 NRC/State Lic Num:NOT RELEVENT Boiling Pt:B.P. Text:320F,160C Vapor Pres: