

NOVUS INC -- PN:7030,7032,7065,7072 NOVUS PLASTIC POLISH #2 -- 6850-01-008-8947

=====
Product Identification
=====

Product ID:PN:7030,7032,7065,7072 NOVUS PLASTIC POLISH #2

MSDS Date:03/12/1997

FSC:6850

NIIN:01-008-8947

MSDS Number: BXRQB

=== Responsible Party ===

Company Name:NOVUS INC

Address:10425 HAMPSHIRE AVE S

City:MINNEAPOLIS

State:MN

ZIP:55438

Country:US

Info Phone Num:612-944-8000

Emerge

ncy Phone Num:612-944-8000 (DAY)

Resp. Party Other MSDS Num.:NOVUS ID. NUMBER: 7011

Preparer's Name:NOVUS INC.

CAGE:56336

==== Contractor Identification ====

Company Name:NOVUS INC

Address:10425 HAMPSHIRE AVE SOUTH

Box:City:MINNEAPOLIS

State:MN

ZIP:55438

Country:US

Phone:952-944-8000 (DAY)

CAGE:56336

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

Contract Num:SP0450-99-M-NJ64

CAGE:0T5C6

Company Name:SDB CONSULTANTS LTD

Address

s:401 WHITNEY AVE SUITE 120
Box:City:GRETNA
State:LA
ZIP:70056
Country:US
Phone:504-366-9105
Contract Num:SP0450-99-M-ND98
CAGE:0PGK2
Company Name:UNI-KEM INTERNATIONAL
Address:1001 HARIMAW COURT EAST
Box:City:METAIRIE
State:LA
ZIP:70001
Country:US
Phone:504-835-7600/FAX:504-835-7608
CAGE:4S446

=====
Composition/Information on Ingredients
=====

Ingred Name:ODORLESS MINERAL SPIRITS
CAS:68551-17-7
Minumum % Wt:7.
Maxumum % Wt:13.
Other REC Limits:NONE RECOMMENDED

Ingred Name:S
ILICA,AMORPHOUS,DIATOMACEOUS EARTH
CAS:68855-54-9
Minumum % Wt:3.
Maxumum % Wt:7.
Other REC Limits:NONE RECOMMENDED

Ingred Name:MORPHOLINE
CAS:110-91-8
RTECS #:QD6475000
Minumum % Wt:1.
Maxumum % Wt:5.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 20 PPM
ACGIH TLV:S, 20 PPM; 9596

Ingred Name:OLEIC ACID
CAS:112-80-1
RTECS #:RG2275000
Minumum % Wt:1.
Maxumum % Wt:5.
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT PROV

IDED.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EFFECTS OF ACUTE EXPOSURE TO PRODUCT:
MAY CAUSE RESPIRATORY IRRITATION. EXPOSURE TO HIGH CONCENTRATIONS
MAY CAUSE HEADACHE, DIZZINESS, AND NAUSEA. EYE CONTACT: MAY CAUSE
BURNING AND IRRITATION. SKIN CONTACT IS A POSSIBLE ROUTE OF ENTRY.
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: PROLONGED OR REPEATED SKIN
CONTACT MAY LEAD TO DRYING, IRRITATION, AND DERMATITIS.

Explanation of Carcinogenicity:PER MSDS: CARCINOGENICITY: NOT ESTABLISHED..

Effects of Overexposure:MAY CAUSE RESPIRATORY IRRITATION. EXPOSURE TO
HIGH CONCENTRATIONS MAY CAUSE HEADACHE, DIZZINESS, AND NAUSEA. EYE
CONTACT: MAY CAUSE BURNING, IRRITATION AND DAMAGE. SKIN CONTACT IS
A POSSIBLE ROUTE OF ENTRY.

Medical Cond Aggravated by Exposure:NOT PROVIDED.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT
LEAS

T 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET PROMPT MEDICAL
ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY
WITH SOA P AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
INHALATION: MOVE VICTIM TO FRESH AIR AND TREAT SYMPTOMATICALLY.
SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: CONTACT
LOCAL POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Fla

sh Point:=92.8C, 199.F

Autoignition Temp:Autoignition Temp Text:N/E

Lower Limits:NOT ESTABLIS

Upper Limits:NOT ESTABLIS

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, OR FOAM.

Fire Fighting Procedures:USE WATER SPRAY OR FOG TO COOL FIRE EXPOSED
CONTAINERS.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT,
OPEN FLAME AND OTHER SOURCES OF IGNITION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PERSONAL PROTECTIVE

EQUIPMENT. REMOVE

HEAT AND IGNITION SOURCES, VENTILATE AREA, CLEAN UP WITH INERT ABSORBENT.

Neutralizing Agent:NOT PROVIDED.

=====
===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE LIQUID. STORE IN CLOSED CONTAINER IN COOL, WELL VENTILATED AREA.

Other Precautions:NOT PROVIDED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. IF TLV/PEL IS EXCEEDED, WEAR

NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS.

Ventilation:LOCAL EXHAUST MAY BE NECESSARY UNDER SOME USEAGE/HANDLING CONDITIONS. SPECIFIC NEEDS SHOULD BE ADDRESSED BY HEALTH/SAFETY PERSONNEL.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES AS NEEDED.

Eye Protection:WEAR CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:WEAR CHEMICAL RESISTANT CLOTHING AS NEEDED TO PREVENT SKIN CONTACT. IF POSSIBLE EYEWASH AND SAFETY SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:NONE PROVIDED BY MFR.

Supplemental Safety and Health
NONE

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:=80.C, 176.F

Melt/Freeze Pt:M.P/F.P Text:N/E

Vapor Pres: