

CANON U.S.A., INC. -- F41-6912-000, CLC 500 STARTER (BLACK)

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 01-281-5705  
MSDS Date: 12/01/1991  
MSDS Num: BXYZ  
Product ID: F41-6912-000, CLC 500 STARTER (BLACK)  
MFN: 02  
Responsible Party  
Cage: 08YZ7  
Name: CANON U.S.A., INC.  
Address: ONE CANON PLAZA  
City: LAKE SUCC  
ESS NY 11042  
Info Phone Number: 516-488-6700  
Emergency Phone Number: 516-488-6700/800-424-9300(CHEMTREC)  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 08YZ7  
Name: CANON USA INC  
Address: ONE CANON PLZ  
City: NEW HYDE PARK NY 11042  
Phone: 516-328-5000; 5600

=====  
Item Description Information  
=====

=====  
Item Manager: S9G  
Item Name: DEVELOPER,INDIRECT ELECTROSTATIC PROCESS  
Unit of Issue: EA  
UI Container Qty: 0  
Type of Container: UNKNOWN

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixtu

re: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDLING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE.

Explanation Of Carcinogenicity: MANUFACTURER GAVE NO INFORMATION ABOUT

CARCINOGENICITY. FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Signs And Symptoms Of Overexposure: EYE IRRITATION. MFR GAVE NO FURTHER INFORMATION ON MSDS.

Medical Cond Aggravated By Exposure: MFR GAVE NO INFORMATION ON MSDS.

First Aid: INHALATION:REMOVE FROM EXPOSURE TO FRESH AIR. EYE:OPEN EYE AND FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

SKIN:WASH WITH SOAP AND WATER. INGESTION:DRINK SEVERAL GLASSES OF WATER.

CALL PHYS.

=====  
Handling and Disposal

=====  
Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

Neutralizing Agent: MFR GAVE NO INFORMATION ON MSDS.

Waste Disposal Methods: NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. ENSURE COMPLIANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. KEEP FROM CONTACT WITH OX

IDIZING MATERIALS.

Other Precautions: MFR GAVE NO INFORMATION ON MSDS.

=====  
Fire and Explosion Hazard Information

=====  
Extinguishing Media: WATER, DRY CHEMICAL, CO2.

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIALS IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

=====  
Control Mea

sures

=====  
Respiratory Protection: MFR GAVE NO INFORMATION ON MSDS.  
Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.  
Protective Gloves: NONE REQUIRED  
Eye Protection: NONE REQUIRED  
Other Protective Equipment: NONE.  
Work Hygienic Practices: MFR GAVE NO INFORMATION ON MSDS.  
Supplemental Safety and Health: MSDS RECEIVED FROM THE AIR FORCE (FOCAL POINT F). NSN IDENTIFIED BY FOCAL POINT F. PART NUMBER ON MSDS (F41-6902-000) DOES NOT MATCH THE ONE ON THE CTFD (F41-5102-700).  
=====

Physical/Chemical Properties

=====  
HCC: N1  
NRC/State LIC No: NONE  
M.P/F.P Text: >212F,>100C  
Decomp Text: UNKNOWN  
Spec Gravity: 1.0-4.5  
Viscosity: UNKNOWN  
Evaporation Rate & Reference: NEGLIGIBLE (N-BUAC = 1)  
Solubility in Water: NOT SOLUBLE  
Appearance and Odor: FINE POWDER, SLIGHT PLASTIC ODOR.  
Percent Volatiles by Volume: NEGLIG  
Corrosion Rate: UNKNOWN  
=====

Reactivity Data

=====  
Stability Indicator: YES  
Stability Condition To Avoid: MFR GAVE NO INFORMATION ON MSDS.  
Materials To Avoid: STRONG OXIDIZERS.  
Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CO2 AND CO.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: WILL NOT OCCUR.  
=====

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 08YZ7

Trans ID NO: 121705

Product ID: F41-6912-000, CLC 500 STARTER (BLACK)

MSDS Prepared Date: 12/01/1991

Review Date: 09/12/1995

MFN: 2

Net Unit Weight: UNKNOWN

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: EA

Container QTY: 0

Type Of Container: UNKNOWN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR

THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====  
HAZCOM Label  
=====

Product ID: F41-6912-000, CLC 500 STARTER (BLACK)

Cage: 08YZ7

Company Name: CANON USA INC

Street: ONE CANON PLZ

City: NEW HYDE PARK NY

Zipcode: 11042

Health Emergency Phone: 516-488-6700/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 09/12/1995

Status Code: C

MFG Label NO: NONE

Label Date: 09/12/1995

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Si

gnal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: \*\*TARGET-ORGANS:RESPIRATORY SYSTEM \*\*

ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDLING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. KEEP OUT OF REACH OF CHILDREN.

KEEP FROM CONTACT WITH OXIDIZING MATERIALS. IN CASE OF SPILL: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or vi  
ability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of sim

ilarity to a corresponding Department  
of Defense or other government situation.