

PRECISION SUPPLY -- GRIME OFF -- 6850-01-338-9245

===== Product Identification =====

Product ID:GRIME OFF  
MSDS Date:06/01/1992  
FSC:6850  
NIIN:01-338-9245  
MSDS Number: BXSFG  
=== Responsible Party ===  
Company Name:PRECISION SUPPLY  
Address:4450 CALIFORNIA AVE SUITE K-137  
City:BAKERSFIELD  
State:CA  
ZIP:93309  
Country:US  
Info Phone Num:805-871-8492  
Emergency Phone Num:805-871-8492  
Preparer's Name:P. WHITE

CAGE:JO046  
=== Contractor Identification ===  
Company Name:PRECISION SUPPLY  
Address:4450 CALIFORNIA AVE SUITE 137  
Box:City:BAKERFIELD  
State:CA  
ZIP:93309  
Country:US  
Phone:805-871-8492

CAGE:0G6E4  
Company Name:PRECISION SUPPLY  
Address:4450 CALIFORNIA AVE K137  
Box:City:BAKERSFIELD  
State:CA  
ZIP:93309  
Country:US  
Phone:305-974-5440  
CAGE:JO046

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM METASILICATE  
CAS:6834-92-0  
RTECS #:VV9275000  
Other REC Limits:NONE RECOM

MENDED

Ingred Name:D-LIMONENE

CAS:5989-27-5

RTECS #:GW6360000

Other REC Limits:NONE RECOMMENDED

Ingred Name:GLYCOLS, POLYETHYLENE, MONO(P-(1,1,3,3-TETRAMETHYL  
BUTYL)PHENYL) ETHER (TRITON X)

CAS:9002-93-1

RTECS #:MD0907700

Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROCARBON PROPELLANT (PROPANE/ISOBUTANE)

CAS:68476-86-8

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION-NO HARMFUL EFFECTS KNOWN  
FROM AVAILABLE INFORMATION. SKIN-PROLONGED OR REPEATED CONTACT MAY  
CAUSE IRRITATION. INGESTION-CAN CAUSE GASTROINTESTINAL IRRITATION.  
ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.  
EYES-CAN CAUSE SEVERE IRRITATION.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:INGESTION-CAN CAUSE NAUSEA, VOMITING AND  
DIARRHEA. EYES-C

AN CAUSE REDNESS, TEARING AND BLURRED VISION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES AND SKIN-FLUSH EYES WITH WATER AND LOWER LIDS, GET  
MEDICAL ATTENTION. WASH EXPOSED SKIN AREAS WITH SOAP AND WATER.  
INHALATION-UNLIKLEY ROUTE OF EXPOSURE. TREAT FOR STRANGULATION.  
INGESTION-DILUTE WITH WATER. DO NOT INDUCE VOMITING. GETMEDICAL  
ATTENTION.

=====  
===== Fire

Fighting Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:KEEP CONTAINERS COOL. USE EQUIPOMENT OR SHIELDING REQUIRED TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURING OR VENTING CONTAINERS.

Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (ABOVE 120F) CONTAINERS MAY VENT, RUPTURE OR BURST.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN

UP BY MOPPING OR WITH ABSORBENT MATERIAL AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 120F.

Other Precautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY AREA YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY AND THEY ALSO GIVE THE NECESSARY PRECAUTIONS TO PROTECT YOUR HEALT H.

===== Exposure Con  
trols/Personal Protection =====

Respiratory Protection:UNDER NORAML CONDITIONS, NO RESPIRATORY PROTECTION IS NEEDED.

Ventilation:NORMAL.

Protective Gloves:PROTECTIVE GLOVES MAY BE WORM.

Eye Protection:CHEMICAL SPLASH GOGGLES MAY BE WORN.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:DONT EAT, DRINK OR SMOKE IN WORK AREA. WASH HANDS BEFORE EATING.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

=====

HCC:V2

Vapor Pres:63

Spec Gravity:.9

Solubility in Water:COMPLETE

Appearance and Odor:WHITE FOAM WITH CITRUS ODOR.

Percent Volatiles by Volume:83

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ACIDS OR BASES, SELECTED AMINES.

Stability Condition to Avoid:DO NOT EXPOSE TO TEMPERATURES ABOVE 120F.

Hazardous Decomposition Products:THERMAL DECOMPOSITION IN THE PRESENCE  
OF AIR MAY YIELD CA

RBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT FEDERAL, STATE OR LOCAL AUTHORITIES FOR  
APPROVED DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaim

s all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.