

TECHNOLUBE PRODUCTS DIV (LUBRICATING SPECIALTY CO) -- MIL-H-5606 G HYD FLUID MLS 89-10 -- 9150-00-265-9408

===== Product Identification =====

Product ID:MIL-H-5606 G HYD FLUID MLS 89-10

MSDS Date:06/04/1993

FSC:9150

NIIN:00-265-9408

MSDS Number: BXTHJ

=== Responsible Party ===

Company Name:TECHNOLUBE PRODUCTS DIV (LUBRICATING SPECIALTY CO)

Address:3365 E SLAUSON AVE

City:VERNON (FORMALLY IN LOS ANGELES)

State:CA

ZIP:90058

Country:US

Info Phone Num:213-581-2036

Emergency Phone Num:213-581-2036/800-424-9300(CHEMTREC)

Preparer's Name:RICHARD J. EBERHARDT

CAGE:8Y842

=== Contractor Identification ===

Company Name:LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV

Address:3365 E. SLAUSON AVE

Box:City:LOS ANGELES

State:CA

ZIP:90058

Country:US

Phone:562-776-4033; FAX:562-776-4003

CAGE:8Y842

Company Name:TECHNOLUBE PRODUCT COMPANY

Address:8015 PARAMOUNT BLVD.

Box:City:PICO RIVERA

State:CA

ZIP:9

0660-4811

Country:US

Phone:562 776-4000 GEN: 562-776-4000

CAGE:2X769

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE

CAS:64742-46-7

RTECS #:JN9379645

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/M3.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OS

HA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYES/SKIN/INGESTION:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHALE:NO SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE. CHRONIC- MAY CAUSE SKIN IRRITATION & INFLAMMATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, INFLAMMATION

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN

DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WIPE EXCESS. WASH SKIN WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:182F,83C

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. WATER MAY CAUSE FROTHING. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:COMBUSTIBLE. WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN/BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO IGNITION SOURCE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. STOP LEAK. DIKE AND CONTAIN. USE PUMP TO TRANSFER LARGE SPILLS TO CONTAINER. REMAINING LIQUID/SMALL SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS. PR EVENT RUN-OFF TO ENTER WATERWAYS, SEWERS.

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Stora

ge =====

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED PLACE  
AWAY FROM EXCESSIVE HEAT AND STRONG OXIDIZERS. KEEP OUT OF REACH OF  
CHILDREN.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY  
AFTER HANDLING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. AVOID  
INHALING MISTS. EMPTY CONTAINERS OF THIS PRODUCT MAY BE HAZARDOUS  
DUE TO THE RETENTI ON OF RESIDUES. DO NOT TAKE INTERNALLY.

===== Exposure Controls/Personal Pr  
otection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF WORKING IN CONFINED  
AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES  
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR  
NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR.

Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT

Eye Protection:SAFETY GOGGLES IF SPLASHING ANTICIPATED

Other Protective Equipment:EYE WASH STATION AND SAFETY  
SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND  
SHOES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:V4

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:347F,175C

Vapor Pres:1

Spec Gravity:0.868

Evaporation Rate &am

p; Reference: