

PRAXAIR INC -- HELIUM -- 6830-00-660-0026

===== Product Identification =====

Product ID:HELIUM

MSDS Date:10/01/1992

FSC:6830

NIIN:00-660-0026

MSDS Number: BXTHS

=== Responsible Party ===

Company Name:PRAXAIR INC

Address:39 OLD RIDGEBURY RD

City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Info Phone Num:203-794-5782

Emergency Phone Num:203-794-5782/800-424-9300(CHEMTREC)

CAGE:0LV01

=== Contractor Id

entification ===

Company Name:PRAXAIR, INC.

Address:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

===== Composition/Information on Ingredients =====

Ingred Name:HELIUM

CAS:7440-59-7

RTECS #:MH6520000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:LUNG, BRAIN. ACUTE-  
EYES/SKIN:NO EVIDENCE OF ADVERSE EFFECTS FROM AVAILABLE  
INFORMATION. INHALATION:ASPHYXIANT. MODERATE CONCENTRATIONS MAY  
CAUSE HEADACHE, DROWSINESS, DIZZINESS, EXCESS SALIVATION, NAUSEA,  
VOMITING, UNCONSCIOUSNESS, DEATH. INGESTION:UNLIKELY. THIS PRODUCT  
IS A GAS. CHRONIC- NONE.

Explanation of Carcinogenicity:NONE  
Effects of Overexposure:HEADACHE, DROWSINESS  
, DIZZINESS, EXCESS  
SALIVATION, NAUSEA, VOMITING, UNCONSCIOUSNESS, DEATH  
Medical Cond Aggravated by Exposure:NONE EXPECTED

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER. SKIN:WASH  
WITH SOAP & WATER. ORAL:UNLIKELY.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE  
, FOAM, OR DRY  
CHEMICAL FOR SURROUNDING FIRE. HELIUM CANNOT CATCH FIRE.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS  
WITH WATER SPRAY. MOVE CONTAINERS AWAY FROM FIRE.  
Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE DUE TO HEAT OF  
FIRE. THIS GAS IS NON-FLAMMABLE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR RESPIRATORY PROTECTION. STOP  
LEAK IF  
POSSIBLE. VENTILATE AREA OR MOVE LEAKING CONTAINER OUTSIDE OR TO A  
WELL-VENTILATED PLACE. TEST AREA, ESPECIALLY CONFINED AREA, FOR  
SUFFICIENT OXYGEN CONTENT P RIOR TO PERMITTING RE-ENTRY OF  
PERSONNEL.  
Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA BELOW 125F  
(52C). KEEP OUT OF REACH OF CHILDREN.  
Other Precautions:NEVER WORK ON A PRESSURIZED SYSTEM. READ AN

D

UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, WEAR A NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUR OR AIR-SUPPLIED RESPIRATOR. ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:LEATHER RECOMMEN  
DED (HANDLING CYLINDERS)

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective Equipment:SAFETY SHOES RECOMMENDED

Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:-452F,-269C

Melt/Freeze Pt:M.P/F.P Text:-458F,-272C

Vapor Pres:GAS

Vapor Density:0.138

Spec Gravity:GAS

Viscosity:NOT RELEVANT

Evaporation Rate

& Reference:NOT RELEVANT (GAS)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS GAS - ODORLESS

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE. HELIUM IS CHEMICALLY INERT.

Stability Condition to Avoid:EXCESSIVE HEAT (TEMPERATURES ABOVE 125F/52C)

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:

SLOWLY RELEASE INTO THE ATMOSPHERE. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.