

PRAXAIR INC -- HELIUM -- 6830-00-660-0026

=====  
Product Identification  
=====

Product ID:HELIUM  
MSDS Date:10/01/1992  
FSC:6830  
NIIN:00-660-0026  
MSDS Number: BXTHS  
=== Responsible Party ===  
Company Name:PRAXAIR INC  
Address:39 OLD RIDGEBURY RD  
City:DANBURY  
State:CT  
ZIP:06810-5113  
Country:US  
Info Phone Num:203-794-5782  
Emergency Phone Num:203-794-5782/800-424-9300(CHEMTREC)  
CAGE:0LV01  
=== Contractor Id  
entification ===  
Company Name:PRAXAIR, INC.  
Address:39 OLD RIDGEBURY RD  
Box:City:DANBURY  
State:CT  
ZIP:06810-5113  
Country:US  
Phone:800-772-9247; 800-PRAXAIR  
CAGE:0LV01

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HELIUM  
CAS:7440-59-7  
RTECS #:MH6520000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT RELEVANT  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:LUNG, BRAIN. ACUTE- EYES/SKIN:NO EVIDENCE OF ADVERSE EFFECTS FROM AVAILABLE INFORMATION. INHALATION:ASPHYXIANT. MODERATE CONCENTRATIONS MAY CAUSE HEADACHE, DROWSINESS, DIZZINESS, EXCESS SALIVATION, NAUSEA, VOMITING, UNCONSCIOUSNESS, DEATH. INGESTION:UNLIKELY. THIS PRODUCT IS A GAS. CHRONIC- NONE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:HEADACHE, DROWSINESS, DIZZINESS, EXCESS

SALIVATION, NAUSEA, VOMITING, UNCONSCIOUSNESS, DEATH

Medical Cond Aggravated by Exposure:NONE EXPECTED

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER. ORAL:UNLIKELY.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY

CHEMICAL FOR SURROUNDING FIRE. HELIUM CANNOT CATCH FIRE.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. MOVE CONTAINERS AWAY FROM FIRE.

Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE DUE TO HEAT OF FIRE. THIS GAS IS NON-FLAMMABLE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR RESPIRATORY PROTECTION. STOP LEAK IF

POSSIBLE. VENTILATE AREA OR MOVE LEAKING CONTAINER OUTSIDE OR TO A WELL-VENTILATED PLACE. TEST AREA, ESPECIALLY CONFINED AREA, FOR SUFFICIENT OXYGEN CONTENT PRIOR TO PERMITTING RE-ENTRY OF PERSONNEL.

Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA BELOW 125F (52C). KEEP OUT OF REACH OF CHILDREN.

Other Precautions:NEVER WORK ON A PRESSURIZED SYSTEM. READ AN

D

UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, WEAR A NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUR OR AIR-SUPPLIED RESPIRATOR. ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:LEATHER RECOMMEN  
DED (HANDLING CYLINDERS)

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective Equipment:SAFETY SHOES RECOMMENDED

Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:-452F,-269C

Melt/Freeze Pt:M.P/F.P Text:-458F,-272C

Vapor Pres:GAS

Vapor Density:0.138

Spec Gravity:GAS

Viscosity:NOT RELEVANT

Evaporation Rate

& Reference:NOT RELEVANT (GAS)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS GAS - ODORLESS

Percent Volatiles by Volume:100

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE. HELIUM IS CHEMICALLY INERT.

Stability Condition to Avoid:EXCESSIVE HEAT (TEMPERATURES ABOVE 125F/52C)

Hazardous Decomposition Products:NONE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:

SLOWLY RELEASE INTO THE ATMOSPHERE. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.