

JOHNSON S C AND SON INC -- 11840-15 DEEP WOODS OFF! INSECT REPELLENT II --  
6840-01-309-3890

===== Product Identification =====

Product ID:11840-15 DEEP WOODS OFF! INSECT REPELLENT II

MSDS Date:09/30/1994

FSC:6840

NIIN:01-309-3890

MSDS Number: BXTNH

=== Responsible Party ===

Company Name:JOHNSON S C AND SON INC

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2237

Country:US

Info Phone Num:414-

631-2777

Emergency Phone Num:800-228-5635 EXT 092

Preparer's Name:TERRY A. MEYERS

CAGE:32204

=== Contractor Identification ===

Company Name:EHRlich J C CHEMICAL CO INC

Address:500 SPRING RIDGE DR

Box:City:READING

State:PA

ZIP:19612-3848

Country:US

Phone:610-372-9700/FAX: 610-378-9744

Contract Num:SP0450-01-M-D874

CAGE:8C885

Company Name:EHRlich J C CHEMICAL CO INC

Address:500 SPRING RIDGE DR

Box:City:READING

State:PA

ZIP:19612-3848

Country:US

Phone:610-372-9700/FAX: 610-378-9744

Contract Num:SP0

450-98-M-D757  
CAGE:8C885  
Company Name:EHRlich J C CHEMICAL CO INC  
Address:500 SPRING RIDGE DR  
Box:City:READING  
State:PA  
ZIP:19612-3848

Country:US  
Phone:610-372-9700/FAX: 610-378-9744  
Contract Num:SP0450-99-M-C982

CAGE:8C885  
Company Name:HEAVY HARDWARE INC DBA KREDO HEAVY HARDW  
Box:UNKNOW  
CAGE:3B567

Company Name:S.C. JOHNSON & SON INC MILITARY SALES STATION 005  
Address:1525 HOWE ST  
Box:City:RACINE  
State:WI  
ZIP:53403-2237

Country:US  
Phone:414-631-2777

CAGE:3E566  
Company Name:SC JOHNSON AND SON IN  
C

Address:1525 HOWE ST  
Box:City:RACINE  
State:WI  
ZIP:53403-2236

Country:US  
Phone:800-725-6737  
CAGE:32204

=====  
===== Composition/Information on Ingredients =====

Ingred Name:BUTANE  
CAS:106-97-8  
RTECS #:EJ4200000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:800 PPM  
ACGIH TLV:800 PPM; 9495

Ingred Name:N,N-DIETHYL-META-TOLUAMIDE  
CAS:134-62-3  
RTECS #:XS3675000  
= Wt:28.5  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL ALCOHOL  
CAS:64-17-5  
RTECS #:KQ6300

000

Minimum % Wt:55.

Maximum % Wt:65.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM

Ingredient Name:OTHER ISOMERS

= Wt:1.5

Other REC Limits:NONE RECOMMENDED

Ingredient Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Minimum % Wt:1.

Maximum % Wt:5.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN; 9495

Ingredient Name:ISOBUTANE

CAS:75-28-5

RTECS #:TZ4300000

Minimum % Wt:1.

Maximum % Wt:5.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:DIRECT CONTACT OF PRODUCT WITH EYES

CAN CAUSE IRRITATION. PRODUCT MAY CAUSE DISTRESS AND ILLNESS IF TAKEN INTERNALLY.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:DIRECT CONTACT OF PRODUCT WITH EYES CAN CAUSE IRRITATION. PRODUCT MAY CAUSE DISTRESS & ILLNESS IF TAKEN

INTERNALLY.

Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO IRRITATING EFFECTS.

=====  
===== First Aid Measures =====

First Aid: FLUSH EYES WITH WATER FOR 15-20 MINUTES. IF IRRITATION PERSISTS SEEK MED AID. IF PRODUCT IS SWALLOWED SEEK MEDICAL AID AT ONCE.

=====  
===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: