

EASTMAN KODAK COMPANY -- 848 8611 KODAK EKTAPLUS TONING STATION -- 6850-01-348-1967

===== Product Identification =====

Product ID:848 8611 KODAK EKTAPLUS TONING STATION

MSDS Date:04/01/1998

FSC:6850

NIIN:01-348-1967

MSDS Number: BXTNK

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :

800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingredients =====

=====

Ingred Name:ACRYLATE-DIVINYLBENZENE-STYRENE COPOLYMER/STYRENE ACRYLATE
COPOLYMER
CAS:60806-47-5
Fraction by Wt: 50 - 55%
Other REC Limits:NONE RECOMMENDED

Ingred Name:STRONTIUM FERRITE
CAS:12023-91-5
Fraction by Wt: 40 - 45%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 1 - 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9596

===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION-EXPECTED TO BE A LOW HAZARD
FOR RECOMMENDED HANDLING. EYES-NO SPECIFIC HAZARD KNOWN. MAY CAUSE
TRANSIENT IRRITATION. SKIN-EXPECTED TO BE A LOW HAZARD FOR
RECOMMENDED HANDLING. INGESTION-EXP ECTED TO BE A LOW INGESTION
HAZARD.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Eff
ects of Overexposure:OVEREXPOSURE TO CARBON BLACK DUST MAY RESULT IN
IRRITATION OF THE RESPIRATORY TRACT AND BENIGN DEPOSITION OF CARBON
BLACK IN THE LUNG.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT
SYMPTOMATICALLY. GET MEDICAL AID. EYES-ANY MATERIAL THAT CONTACTS
THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDI

CAL

AID. SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WE

AR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE
FORMED.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE
DUST- AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS
OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE/
EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON.
AVOID RA

ISING DUST. CLEAN SURFACE TO REMOVE RESIDUAL
CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED.

Other Precautions:AVOID CONTACT WITH EYES. USE WITH ADEQUATE
VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10
AIR CHANGES/HR)

SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS

Protective Gloves:IMPERVIOUS GLOVES SHOULD BE USED.

Eye Protection:MINIMIZE EYE CONTACT.

Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING,
DRINKING/SMOKING.

Supplemental Safety and Health

ECOLOGICAL INFORMATION: THIS MATERIAL HAS NOT BEEN TESTED FOR
ENVIR

ENVIRONMENTAL EFFECTS. IN A SPILL SITUATION, THESE MATERIALS MAY BE VISUALLY UNPLEASANT; HOWEVER, IT IS NOT EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFFECTS.

===== Physical/Chemical Properties =====

HCC:N1
Vapor Pres:NEGLIGIBLE
Viscosity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK POWDER - SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:NONE.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF IRON.

===== Disposal Considerations =====

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL REGULATION. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.